



KWHS-11

KwikWire™ The Hanging System Without A Weak Link!

COOPER B-Line



KwikWire™ Hanging System


The KwikWire™ Hanging System
from Cooper B-Line -
Takes the Strain out of Hanging with Chain!




The KwikWire™ Hanging System is a flexible replacement for jack chain and all thread rod. The KwikWire™ System will slash your hanging time and the clamp can be easily adjusted by hand without the use of tools.

Some of the key benefits of using the KwikWire™ System include:

- Installs up to 50% faster - can quickly wrap around beam with no drilling required
- Simple height adjustments are made by releasing the clamp's adjustment pin - **no tools required**
- Aesthetic appeal - blends in with upper structural supports
- Compatible with many B-Line fastener, anchor, and hanger products
- Ideal for sloped ceiling applications - will support loads at up to a 60° angle from vertical
- 2 sku's cover a wide range of application requirements

Application Photos



Applications for the KwikWire™ Hanging System include:

- *Light fixtures*
- *Sway bracing*
- *Wire basket cable tray*
- *Air handling equipment*
- *HVAC duct support*
- *Sign/banner supports*
- *Bus duct*
- *Drop Ceilings*

Instructions for installing the wire rope in the clamp



- (1) Pass the wire rope through the KwikWire™ Clamp
- (2) Loop wire rope through/around support
- (3) Pass wire rope back through KwikWire™ Clamp
- (4) Push wire rope through clamp leaving 2" to 3" tail, then apply tension on wire rope
- (5) To adjust, remove tension and pull wire rope slightly to disengage teeth, slide adjustment pin in direction shown by arrow to release wire rope.

No tools are required.



KwikWire™ System Recommendations:

- Do not exceed the safe working load of the products
- KwikWire™ Clamp load ratings are guaranteed only when used in combination with Cooper supplied wire rope
- Do not use for overhead lifting or hoisting
- Do not use if cable or components are visibly distorted or worn. Remove damaged cable end prior to inserting in KwikWire™ Clamp
- Do not paint cable near working area of KwikWire™ Clamp
- Do not apply lubricant
- Keep product clean and free of dirt
- Do not use clamp on coated wire rope
- Do not use in chlorinated or caustic atmospheres
- For use in dry locations
- Cooper's BKCC tool is recommended for cutting wire rope to prevent fraying

KwikWire™ Clamps, Wire Rope & Cable Cutter



KwikWire™ Clamps

UPC/Part Number	Catalog Number	For Use With Wire Rope Diameters	Box Qty.
782051 54697	BKC100	1/16" & 3/32"	100
782051 54698	BKC200	1/8" & 3/16"	50



KwikWire™ Clamp Working Loads*

Clamp Part No.	Wire Rope Dia.	Lbs. Safety Factor 5
BKC100	1/16"	0-75
BKC100	3/32"	25-150
BKC200	1/8"	25-250
BKC200	3/16"	50-640

See table below for KwikWire™ Clamp Working Loads

**Working loads shown are for hanging vertically. For suspending at 15°, 30°, 45° or 60° angles from vertical, use the following percentage of the working loads from the chart:*

15° = 96%
30° = 86%
45° = 70%
60° = 50%



KwikWire™ Wire Rope (Uncoated Galvanized Wire)

UPC/Part Number	Catalog Number	Rope Dia.	Working Load Lbs.	Spool Qty.
782051 40725	BKW063 (1)	1/16"	96	500 ft.
782051 40727	BKW094 (1)	3/32"	184	500 ft.
782051 40733	BKW125 (1)	1/8"	340	500 ft.
782051 40734	BKW188 (2)	3/16"	840	250 ft.

(1) Wire Rope Construction Type 7 x 7

(2) Wire Rope Construction Type 7 x 19



KwikWire™ Cable Cutter

UPC/Part Number	Catalog Number	Box Qty.
782051 40297	BKCC	1

• Wire rope cutter for cutting all wire rope sizes

** Danger: Never use cutters on energized circuits, wire, or cable.



KwikPak™ Wire Rope & Clamps KwikPak



UPC/Part Number	Catalog Number	Kit Includes	Box Qty.
782051 40749	BKP10063	BKC100 (100 pcs.) 1/16"Ø Wire Rope (500 ft.)	1
782051 40751	BKP10094	BKC100 (100 pcs.) 3/32"Ø Wire Rope (500 ft.)	1
782051 40761	BKP20125	BKC200 (50 pcs.) 1/8"Ø Wire Rope (500 ft.)	1
782051 40763	BKP20188	BKC200 (50 pcs.) 3/16"Ø Wire Rope (250 ft.)	1

KwikPak™ makes handling KwikWire™ a breeze!

- KwikPaks include KwikWire clamps and a spool of wire rope.
- KwikPaks are shipped in a specially designed dispenser box to ease field cutting of wire.



- KwikWire hanger combines the versatility of a bolt with an adjustable wire rope solution.

- Can be quickly installed in existing anchors or metal brackets with a nut.

- ARS, ARC, and ARW anchors are ideal for use with KwikWire Hangers.

- Ideal for supporting light fixtures, wire basket cable tray, HVAC ducts, and sign/banner supports.

- Allows for tool-less adjustment of wire rope.




KwikWire™ Hanger



UPC/Part Number	Thread Size	Wire Rope Dia. in. (mm)	Loading* SF5 lbs. (kg)
BKF100-4	1/4"-20	1/16" (1.5 mm)	45 (20kg)
		3/32" (2.5 mm)	90 (40kg)
BKF100-6	3/8"-16	1/16" (1.5 mm)	45 (20kg)
		3/32" (2.5 mm)	90 (40kg)

KwikWire™ Hanger installation



1. Screw KwikWire Hanger into installed hanger support (ARS anchor pictured)
2. Push cable wire up through the bottom of KwikWire Hanger
3. Continue pushing through until 1/4" minimum is extending out the side of the KwikWire Hanger
4. To adjust up - pull or push more cable wire through KwikWire Hanger
5. To adjust down - push up on bottom of KwikWire Hanger and allow cable wire to feed down
6. When hanging the cable wire is complete, cut off any excess cable wire if desired

KwikWire™ Accessory Features & Numbering System

KwikWire Accessory Features

- Reduces on the job installation time
- Can be installed quickly without drilling into existing structure
- Increases versatility in the field
- KwikWire accessory system reduces inventory and shipping costs
- No more sawing, filing, or fixing nuts
- Designed for use with cable tray, lighting, and HVAC
- Eliminates the need for all threaded rod
- Cost effective solution for jack chain
- “Y” style accessories require 50% less drilling



KwikWire Accessory Numbering System

Product Line	Assembly Configuration	Leg Termination	Leg Length	Wire Rope Diameter	Straight Length	Assembly or Kit
BK = KwikWire	Blank = Single Leg Y = 2 Legs 3 - 3 Legs	A = Angle Bracket w/Pin H = Hook L = Loop T = Toggle W = Fuse Cut B25 = Bolt w/ 1/4"-20 Thread B38 = Bolt w/ 3/8"-16 Thread BM6 = Bolt w/ M6 Thread BM8 = Bolt w/ M8 Thread BM10 = Bolt w/ M10 Thread	Blank = See Straight Length 18 = 18" Leg 30 = 30" Leg	063 = 1/16" 094 = 3/32"	Blank = Loop w/ Plastic Tube 18 = 18" 30 = 30" 40 = 40" 80 = 80" 120 = 120" 180 = 180" 240 = 240" 360 = 360"	Blank = Assembly Only K = Kit (Assembly & BKC100 Clamp)

Examples

BKYT18-094-120K

BK **Y** **T** **18** - **094** - **120** **K**

Cooper B-Line KwikWire Accessory

2 legs - toggle leg termination - 18" legs - 3/32" diameter wire - 120" straight length - kit with clamp

BKL-063-120K

BK **L** - **063** - **120** **K**

Cooper B-Line KwikWire Accessory

single leg - looped leg termination - 1/16" diameter wire - 120" straight length - kit with clamp

*Custom assemblies are available as shown by the red dot ● on pages 7 - 14.
Lead time on custom assemblies is 2 to 3 weeks depending on quantities.*

KwikWire™ Loop Termination

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 67517	● BKL-063-40	1/16"	40"
782051 67518	● BKL-063-80	1/16"	80"
782051 67519	● BKL-063-120	1/16"	120"
782051 67521	● BKL-063-180	1/16"	180"
782051 68980	● BKL-063-240	1/16"	240"
782051 67522	● BKL-063-360	1/16"	360"
782051 67523	● BKL-094-40	3/32"	40"
782051 67524	● BKL-094-80	3/32"	80"
782051 67525	● BKL-094-120	3/32"	120"
782051 67526	● BKL-094-180	3/32"	180"
782051 68981	● BKL-094-240	3/32"	240"
782051 67538	● BKL-094-360	3/32"	360"



Box Quantity - 20
5 bags containing 4 pieces per bag

KwikWire™ Loop Termination Kits

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 67346	● BKL-063-40K	1/16"	40"
782051 67347	● BKL-063-80K	1/16"	80"
782051 67348	● BKL-063-120K	1/16"	120"
782051 67349	● BKL-063-180K	1/16"	180"
782051 68838	● BKL-063-240K	1/16"	240"
782051 67350	● BKL-063-360K	1/16"	360"
782051 67351	● BKL-094-40K	3/32"	40"
782051 67352	● BKL-094-80K	3/32"	80"
782051 67353	● BKL-094-120K	3/32"	120"
782051 67354	● BKL-094-180K	3/32"	180"
782051 68839	● BKL-094-240K	3/32"	240"
782051 67355	● BKL-094-360K	3/32"	360"



Box Quantity - 20
5 bags containing 4 pieces per bag

- Available as a wire rope with loop termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".


● = Stock item, lead time 2 - 3 working days

● = Non-stock item, lead time 10 - 15 working days

KwikWire™ Accessories



Single Style Hook Termination



UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 67501	● BKH-094-40	3/32"	40"
782051 67502	● BKH-094-80	3/32"	80"
782051 67503	● BKH-094-120	3/32"	120"
782051 68986	● BKH-094-180	3/32"	180"
782051 68987	● BKH-094-240	3/32"	240"
782051 67504	● BKH-094-360	3/32"	360"

Box Quantity - 20

5 bags containing 4 pieces per bag



Single Style Hook Termination Kits




UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 67337	● BKH-094-40K	3/32"	40"
782051 67338	● BKH-094-80K	3/32"	80"
782051 67339	● BKH-094-120K	3/32"	120"
782051 68841	● BKH-094-180K	3/32"	180"
782051 68944	● BKH-094-240K	3/32"	240"
782051 67340	● BKH-094-360K	3/32"	360"

Box Quantity - 20

5 bags containing 4 pieces per bag



'Y' Style Hook Termination With Loop




UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 67341	● BKYH18-094	3/32"	18"
782051 68978	● BKYH30-094	3/32"	30"

Box Quantity - 10

5 bags containing 2 pieces per bag

- Hook designed to accept up to 3/8" diameter wire.
- Available as a wire rope with hook termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".
- Available in single, double (Y), and triple (3) leg styles



● = Stock item, lead time 2 - 3 working days ● = Non-stock item, lead time 10 - 15 working days

KwikWire™ 'Y' Style Hook Termination

UPC/Part Number	Catalog Number	Leg Length	Wire Rope Diameter	Length
782051 67505	● BKYH18-094-40	18"	3/32"	40"
782051 67506	● BKYH18-094-80	18"	3/32"	80"
782051 67514	● BKYH18-094-120	18"	3/32"	120"
782051 68988	● BKYH18-094-180	18"	3/32"	180"
782051 68989	● BKYH18-094-240	18"	3/32"	240"
782051 67515	● BKYH18-094-360	18"	3/32"	360"
782051 68990	● BKYH30-094-40	30"	3/32"	40"
782051 68991	● BKYH30-094-80	30"	3/32"	80"
782051 68992	● BKYH30-094-120	30"	3/32"	120"
782051 68993	● BKYH30-094-180	30"	3/32"	180"
782051 68994	● BKYH30-094-240	30"	3/32"	240"
782051 68995	● BKYH30-094-360	30"	3/32"	360"



Box Quantity - 10
5 bags containing 2 pieces per bag

KwikWire™ 'Y' Style Hook Termination Kits

UPC/Part Number	Catalog Number	Leg Length	Wire Rope Diameter	Length
782051 67342	● BKYH18-094-40K	18"	3/32"	40"
782051 67343	● BKYH18-094-80K	18"	3/32"	80"
782051 67344	● BKYH18-094-120K	18"	3/32"	120"
782051 68856	● BKYH18-094-180K	18"	3/32"	180"
782051 68945	● BKYH18-094-240K	18"	3/32"	240"
782051 67345	● BKYH18-094-360K	18"	3/32"	360"
782051 68946	● BKYH30-094-40K	30"	3/32"	40"
782051 68948	● BKYH30-094-80K	30"	3/32"	80"
782051 68949	● BKYH30-094-120K	30"	3/32"	120"
782051 68950	● BKYH30-094-180K	30"	3/32"	180"
782051 68951	● BKYH30-094-240K	30"	3/32"	240"
782051 68952	● BKYH30-094-360K	30"	3/32"	360"



Box Quantity - 10
5 bags containing 2 pieces per bag

- Hook designed to accept up to 3/8" diameter wire.
- Available as a wire rope with loop termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".

● = Stock item, lead time 2 - 3 working days

● = Non-stock item, lead time 10 - 15 working days

KwikWire™ Accessories



Single Style Toggle Termination



Box Quantity - 20
5 bags containing 4 pieces per bag

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 68996	● BKT-063-40	1/16"	40"
782051 68997	● BKT-063-80	1/16"	80"
782051 68998	● BKT-063-120	1/16"	120"
782051 68999	● BKT-063-180	1/16"	180"
782051 69000	● BKT-063-240	1/16"	240"
782051 69001	● BKT-063-360	1/16"	360"



Single Style Toggle Termination Kits



Box Quantity - 20
5 bags containing 4 pieces per bag

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 68956	● BKT-063-40K	1/16"	40"
782051 68845	● BKT-063-80K	1/16"	80"
782051 68842	● BKT-063-120K	1/16"	120"
782051 68843	● BKT-063-180K	1/16"	180"
782051 68957	● BKT-063-240K	1/16"	240"
782051 68844	● BKT-063-360K	1/16"	360"




'Y' Style Toggle Termination With Loop



Box Quantity - 10
5 bags containing 2 pieces per bag

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 68840	● BKYT12-063	1/16"	12"
782051 67356	● BKYT18-063	1/16"	18"
782051 67362	● BKYT30-063	1/16"	30"

- Available as a wire rope with toggle termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".
- Available in single, double (Y), and triple (3) leg styles
- All triple (3) leg styles are non-stock, consult Cooper B-Line for lead times



● = Stock item, lead time 2 - 3 working days ● = Non-stock item, lead time 10 - 15 working days



KwikWire™ 'Y' Style Toggle Termination

UPC/Part Number	Catalog Number	Leg Length	Wire Rope Diameter	Length
782051 69002	● BKYT12-063-40	12"	1/16"	40"
782051 69003	● BKYT12-063-80	12"	1/16"	80"
782051 69004	● BKYT12-063-120	12"	1/16"	120"
782051 69005	● BKYT12-063-180	12"	1/16"	180"
782051 69006	● BKYT12-063-240	12"	1/16"	240"
782051 69007	● BKYT12-063-360	12"	1/16"	360"
782051 67540	● BKYT18-063-40	18"	1/16"	40"
782051 67541	● BKYT18-063-80	18"	1/16"	80"
782051 67542	● BKYT18-063-120	18"	1/16"	120"
782051 67543	● BKYT18-063-180	18"	1/16"	180"
782051 69008	● BKYT18-063-240	18"	1/16"	240"
782051 67544	● BKYT18-063-360	18"	1/16"	360"
782051 67545	● BKYT30-063-40	30"	1/16"	40"
782051 67546	● BKYT30-063-80	30"	1/16"	80"
782051 67547	● BKYT30-063-120	30"	1/16"	120"
782051 67548	● BKYT30-063-180	30"	1/16"	180"
782051 69009	● BKYT30-063-240	30"	1/16"	240"
782051 67549	● BKYT30-063-360	30"	1/16"	360"



Box Quantity - 10
5 bags containing 2 pieces per bag



KwikWire™ 'Y' Style Toggle Termination Kits

UPC/Part Number	Catalog Number	Leg Length	Wire Rope Diameter	Length
782051 68958	● BKYT12-063-40K	12"	1/16"	40"
782051 68959	● BKYT12-063-80K	12"	1/16"	80"
782051 68960	● BKYT12-063-120K	12"	1/16"	120"
782051 68961	● BKYT12-063-180K	12"	1/16"	180"
782051 68962	● BKYT12-063-240K	12"	1/16"	240"
782051 68963	● BKYT12-063-360K	12"	1/16"	360"
782051 67357	● BKYT18-063-40K	18"	1/16"	40"
782051 67358	● BKYT18-063-80K	18"	1/16"	80"
782051 67359	● BKYT18-063-120K	18"	1/16"	120"
782051 67360	● BKYT18-063-180K	18"	1/16"	180"
782051 68964	● BKYT18-063-240K	18"	1/16"	240"
782051 67361	● BKYT18-063-360K	18"	1/16"	360"
782051 67363	● BKYT30-063-40K	30"	1/16"	40"
782051 67364	● BKYT30-063-80K	30"	1/16"	80"
782051 67365	● BKYT30-063-120K	30"	1/16"	120"
782051 67366	● BKYT30-063-180K	30"	1/16"	180"
782051 68965	● BKYT30-063-240K	30"	1/16"	240"
782051 67367	● BKYT30-063-360K	30"	1/16"	360"



Box Quantity - 10
5 bags containing 2 pieces per bag

- Available as a wire rope with loop termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".

● = Stock item, lead time 2 - 3 working days ● = Non-stock item, lead time 10 - 15 working days

KwikWire™ Accessories



Bolt Termination



Box Quantity - 20
5 bags containing 4 pieces per bag

UPC/Part Number	Catalog Number	Thread Size	Wire Rope Diameter	Length
782051 67492	● BKB25-063-40	1/4"-20	1/16"	40"
782051 67493	● BKB25-063-80	1/4"-20	1/16"	80"
782051 67494	● BKB25-063-120	1/4"-20	1/16"	120"
782051 69010	● BKB25-063-180	1/4"-20	1/16"	180"
782051 69011	● BKB25-063-240	1/4"-20	1/16"	240"
782051 67495	● BKB25-063-360	1/4"-20	1/16"	360"
782051 67496	● BKB38-094-40	3/8"-16	3/32"	40"
782051 67497	● BKB38-094-80	3/8"-16	3/32"	80"
782051 67498	● BKB38-094-120	3/8"-16	3/32"	120"
782051 69012	● BKB38-094-180	3/8"-16	3/32"	180"
782051 69013	● BKB38-094-240	3/8"-16	3/32"	240"
782051 67499	● BKB38-094-360	3/8"-16	3/32"	360"

- Ideal for use with ARS, ARC, ADI, ACPW, or ACPD anchors.
- Available as a wire rope with bolt termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".
- Available in single, double (Y), and triple leg (3) styles
- All (Y) and triple (3) styles are non-stock, consult Cooper B-Line for lead times



● = Stock item, lead time 2 - 3 working days ● = Non-stock item, lead time 10 - 15 working days




Bolt Termination Kits

UPC/Part Number	Catalog Number	Thread Size	Wire Rope Diameter	Length
782051 67329	● BKB25-063-40K	1/4"-20	1/16"	40"
782051 67330	● BKB25-063-80K	1/4"-20	1/16"	80"
782051 67331	● BKB25-063-120K	1/4"-20	1/16"	120"
782051 68966	● BKB25-063-180K	1/4"-20	1/16"	180"
782051 68967	● BKB25-063-240K	1/4"-20	1/16"	240"
782051 67332	● BKB25-063-360K	1/4"-20	1/16"	360"
782051 67333	● BKB38-094-40K	3/8"-16	3/32"	40"
782051 67334	● BKB38-094-80K	3/8"-16	3/32"	80"
782051 67335	● BKB38-094-120K	3/8"-16	3/32"	120"
782051 68968	● BKB38-094-180K	3/8"-16	3/32"	180"
782051 68969	● BKB38-094-240K	3/8"-16	3/32"	240"
782051 67336	● BKB38-094-360K	3/8"-16	3/32"	360"



Box Quantity - 20
5 bags containing 4 pieces per bag

- Ideal for use with ARS, ARC, ADI, ACPW, or ACPD anchors.
- Available as a wire rope with bolt termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".
- Available in single, double (Y), and triple (3) styles
- All double (Y) and triple (3) styles are non-stock, consult Cooper B-Line for lead times



Double (Y) leg style



Triple (3) leg style

● = Stock item, lead time 2 - 3 working days

● = Non-stock item, lead time 10 - 15 working days

KwikWire™ Cable Assemblies & Accessories



KwikWire™ Angle Bracket Termination



Box Quantity - 20
5 bags containing 4 pieces per bag

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 68982	● BKA-063-40	1/16"	40"
782051 68983	● BKA-063-80	1/16"	80"
782051 67550	● BKA-063-120	1/16"	120"
782051 67551	● BKA-063-180	1/16"	180"
782051 68984	● BKA-063-240	1/16"	240"
782051 68985	● BKA-063-360	1/16"	360"



KwikWire™ Angle Bracket Termination Kits





Box Quantity - 20
5 bags containing 4 pieces per bag

UPC/Part Number	Catalog Number	Wire Rope Diameter	Length
782051 68933	● BKA-063-40K	1/16"	40"
782051 68934	● BKA-063-80K	1/16"	80"
782051 67368	● BKA-063-120K	1/16"	120"
782051 67369	● BKA-063-180K	1/16"	180"
782051 68935	● BKA-063-240K	1/16"	240"
782051 68943	● BKA-063-360K	1/16"	360"

- Available as a wire rope with angle bracket termination only or as a ready-to-use kit with a BKC100 clamp.
- Available in lengths of 40", 80", 120", 180", 240", and 360".

● = Stock item, lead time 2 - 3 working days ● = Non-stock item, lead time 10 - 15 working days


BKCP

B601-62

BF3

BF4

BE-1-2

**BE-2-4
BE-5-8
BE-9-12**

ARS-25-100SW

ARW-25-100SW

ASA-31-150WH

AWA-25-200WH

**ADA-18WH
ADA-25WH**

UPC/Part Number	Catalog Number	Description	Box Qty.
782051 40766	BKCP	Air Duct Corner Protectors	100
781011 56059	B601-62	Air Duct Support	50
781011 04270	BF3†	Vertical Flange Hanger For 1/16" to 1/4" Thick Flanges	100
781011 04271	BF4†	'Z' Purlin Hanger For 1/16" to 1/4" Thick Flanges	100
781011 18290	BE-1-2†	Beam Fastener For 3/32" to 9/64" Thick Flanges	100
781011 18295	BE-2-4†	Beam Fastener For 1/8" to 1/4" Thick Flanges	100
781011 18300	BE-5-8†	Beam Fastener For 5/16" to 1/2" Thick Flanges	100
781011 18305	BE-9-12†	Beam Fastener For 9/16" to 3/4" Thick Flanges	100
782051 53323	ARS-25-100SW†	Steel Side Mount Rod Hanger	100
782051 53336	ARW-25-100SW†	Concrete Side Mount Rod Hanger	100
781011 04294	AWA-25-200WH†	Wedge Expansion Wire Hanger	100
781011 53277	ADA-18WH†	Drive Anchor Wire Hanger	100
781011 04297	ADA-25WH†	Drive Anchor Wire Hanger	100
781011 53342	ASA-31-150WH†	Sleeve Type Expansion Wire Hanger	100

† For Loading, See Spring Steel Fastener Catalog

Global Locations:

Cooper B-Line's U.S. Customer Service Center is staffed Monday through Friday from 7 a.m. to 5:00 p.m. Central Standard Time. If a situation requires that you have to contact us after hours, please leave a message via phone or E-mail so we can give it immediate attention the following business day.

Service Facility - United States:

Cooper B-Line - USA

509 West Monroe Street
Highland, IL 62249
United States
Phone: (800) 851-7415
Fax: (800) 356-1438
Email: blineus@cooperindustries.com

Service Facility - Canada:

Cooper B-Line - Canada

Div. of Cooper Ind. Canada, Inc.
5925 McLaughlin Road
Mississauga, ON L5R 1B8
Canada
Phone: (800) 569-3660
Fax: (888) 753-3355
Email: blinecanada@cooperindustries.com

Service Facility - Europe:

Cooper B-Line, Ltd. - UK

Walrow, Highbridge
Somerset, TA9 4AQ
United Kingdom
Phone: + 44 (0) 1278 783371
Fax: + 44 (0) 1278 789037
Email: sales@cooperblines.co.uk

Cooper B-Line - Saudi Arabia:

PO Box 70160 - Al Khobar - 31952
Kingdom of Saudi Arabia
Phone: 00966 3 812 2236
Fax: 00966 3 812 1291
Email: blineme@cooperindustries.com

Literature Fulfillment Questions:

Phone: (314) 426-1800
Fax: (314) 426-6022
Email: cooperblines@repcographics.com

Request Literature Website:

<http://order.repcographics.com/cooperb/>

Cooper B-Line
509 West Monroe Street
Highland, IL 62249
Phone: 800-851-7415
Fax: 618-654-1917

www.cooperblines.com

Cooper US, Inc.
600 Travis, Ste. 5600
Houston, TX 77002-1001
Phone: 713-209-8400
www.cooperindustries.com