

**North American Standards -  
General Purpose**

**Gland Type:**


Non-armoured

**Cable Type:**

Non-armoured and tray cable

**Certifications and Compliances:**

- cULus Listed - UL File E23223



**SELECTION TABLE**

Entry Thread Size 'A'		Outer Sheath 'E'	
NPT Size	NPT Catalog #	Min	Max
3/8"	<b>NCG38 35</b>	0.10	0.35
1/2"	<b>NCG50 50</b>	0.20	0.50
3/4"	<b>NCG75 75</b>	0.35	0.75
1"	<b>NCG100 100</b>	0.55	1.00

All dimensions in inches unless otherwise noted.



**NCG Features:**

- Standard material is polyamide 6
- Weatherproof seal on outer sheath of cable
- Standard neoprene seal suitable for use in operating temperatures -25° to 40°C
- Available with NPT threads

**POLYAMIDE LOCK NUT  
SELECTION TABLE**

Size	Catalog #
3/8"	<b>10N</b>
1/2"	<b>11N</b>
3/4"	<b>12N</b>
1"	<b>13N</b>

**Gland Type:**


Non-armoured

**Cable Type:**

Non-armoured and tray cable

**Certifications and Compliances:**

- cULus Listed - UL File E23223
- NEMA 3, 4X



**SELECTION TABLE**

NPT Size	NPT Catalog #	Cable Acceptance Range 'E'		Gland Length (Less Entry) 'F'	External Diameter 'G'
		Min	Max		
1/2"	<b>NCGB1231</b>	0.25	0.42	2.25	1.33
1/2"	<b>NCGB1232</b>	0.40	0.57	2.25	1.33
3/4"	<b>NCGB2233</b>	0.54	0.68	2.52	1.58
3/4"	<b>NCGB2234</b>	0.64	0.78	2.52	1.58
1"	<b>NCGB3235</b>	0.76	0.91	3.19	2.02
1"	<b>NCGB3236</b>	0.89	1.03	3.19	2.02

All dimensions in inches unless otherwise noted.

**NCGB Features:**

- Standard material is thermoplastic polyester
- Tightens by hand to create a watertight seal
- Gasket on entry threads included
- Compact design allows close grouping of connectors
- Available with NPT threads