



GE
Lighting

11116 - GE energy-efficient halogen 50 watt PAR30 longneck floodlight 1-pack

50PAR30L/H/FL40

- ☞ GE energy-efficient halogen bulbs deliver crisp, white light. This unsurpassed light quality is ideal for adding depth, drama and interest to any room. These GE energy-efficient halogen floodlights use less energy than standard halogen bulbs, saving money on energy. GE energy-efficient halogen floodlights feature lenses designed to provide a precise beam pattern, dispensing broad beams of crisp, white light throughout your home's interior. Use these bulbs in indoor track and recessed fixtures instead of regular incandescent and create a dramatic effect
- ☞ Edison™ halogen bulbs provide a brighter, crisper light that makes your home look its best
- ☞ That's why professionals choose Edison for exceptional results and longer bulb life.
- ☞ Showcase the beauty of your home with the highest quality of light.
- ☞ Estimated yearly energy costs \$6.02 based on 3 hours per day \$0.11 per kWh
- ☞ Lasts 2.7 years based on 3 hours per day usage
- ☞ PAR30 longneck indoor floodlight with medium base for use in directional fixtures such as recessed can lighting

Product Photo



CAUTIONS & WARNINGS

Caution

- Lamp may shatter and cause injury if broken
- Do not use lamp if outer glass is scratched or broken.

Warning

Risk of Burn

- Allow lamp to cool before handling.

Risk of Fire

- Keep combustible materials away from lamp.

Risk of Electric Shock

- Turn power off before inspection installation or removal.

Pressurized lamp--unexpected rupture may cause injury, fire, or property damage

- Do not use lamp if outer glass is scratched or broken.

GENERAL CHARACTERISTICS

Base Description	Medium NP
Base Type	Pin/Plug-In
Filament	CC-8
Rated Life Hours-nominal	3000 h
Primary Application	Indoor Floodlight
Product Technology	Halogen
Bulb Shape	PAR30L

PHOTOMETRIC CHARACTERISTICS

Beam Spread	40 deg
Center Beam Candle Pwr Candela	1100 cd
Nominal Initial Lumen per Watt	12
Initial Lumens-nominal	580 lm
Color Temperature	2800 K

PRODUCT INFORMATION

Product Code	11116
Description	50PAR30L/H/FL40
Alternative Unit Of Measure	CASE


DIMENSIONS

Diameter	3.75 in
----------	---------

ELECTRICAL CHARACTERISTICS

Burn Position	Universal burning position
Input Voltage [nom]	120 V
Rated power (Watts)	50 W

Do not use where directly exposed to water or outdoors without an enclosed fixture.



Jul 27, 2016 12:24:21 PM For additional information, visit www.gelighting.com