

## 35788 - Integrated 3ft LED Glass Tubes

#### LED11ET8/G/3/840

- Convert your existing linear fluorescent fixture to LED lighting without needing a comprehensive reinstall.
- Each LED tube is outfitted with an internal GE driver.
- The GE integrated LED tubes run on electronic T8 instant-start or programmed start ballasts.
- 66% longer life than LFL (50,000 vs. 30,000 hours)
- ☞ No UV
- Easy disposal, non-hazardous waste
- Check ballast compatibility at www.gelighting.com/LEDTUBES-ballast-compatibility
- UL Listed

## **Product Photo**



#### **GENERAL CHARACTERISTICS**

Product Technology LED
Rated Life (Hours) 50000 h
LED Tube Type Glass

Environmental Rating LED\_Tube\_Glass 10 Digit U 4316835788

Lamp Count1Life in Years45.7 yrRequested StructureSleeveEstimated Energy Cost per Year1.39Bulb ShapeT8

### PHOTOMETRIC CHARACTERISTICS

Rated Beam Spread 11 W
Initial Lumens-nominal 1400 Im
Color Temperature 4000 K

### PRODUCT INFORMATION

Product Code 35788

Description LED11ET8/G/3/840

Alternative Unit Of Measure EACH Standard Package Quantity 20

Ean UPC 043168357883 Standard Package GTIN 00043168357883

No Of Items Per Sales Unit1No Of Items Per Standard Package20Sales UnitEach

UCC 043168357883

Alternative Unit Of Measure CASE Standard Package Quantity 20

Ean UPC 043168357883 Standard Package GTIN 10043168357880

No Of Items Per Sales Unit

No Of Items Per Standard Package 20 Sales Unit Case

UCC 043168357883

# **DIMENSIONS**

Bulb Max Overall Length-MOL 36.0 in

# **ELECTRICAL CHARACTERISTICS**

Drive Current 45.7
Energy Efficiency Class yr
Voltage <Nom> 120 V
Rated power (Watts) 11 W