

596-00202

Article Number: 596-00202

Foam Nameplate, 2.375" X 2.375" Emergency Stop label, PET, Yellow, 100/RL



Base Data

Local Order Number 596-00202

Type NPL60X60YE

Color Yellow (YE)

Features and Benefits

- Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.
- Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.
- Labels are UV and chemical resistant for long life in an industrial environment.
- Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Product Description The Pre-printed colored header vinyl rolls can be used to design signs that conform to Occupational Safety and Hazard Association (OSHA) and American National Standards Institute (ANSI) requirements for Warning and Caution Signs and markers. All can be designed, printed and cut to length in Tagprint Pro and any HellermannTyton thermal transfer printing system.

Self adhesive (Yes/No) Yes

Short Description Foam Nameplate, 2.375" X2.375" Emergency Stop label, PET, Yellow, 100/RL

Product Dimensions

Length L (imperial) 2.375 "

Length L (metric) 60.3 mm

Width W (imperial) 2.375 "

Width W (metric) 60.3 mm

Height H (imperial) 2.375 "

Height H (metric) 60.3 mm

Horizontal Repeat HR (metric) 66.6 mm

Horizontal Repeat HR (imperial) 2.625 "

Print Method Thermal Transfer

Vertical Repeat VR (imperial) 2.375 "

Vertical Repeat VR (metric) 60 mm

Width of Liner WL (imperial) 2.55 "

Width of Liner WL (metric) 64.77 mm

Logistics and Packaging

Quantity per roll

Package Quantity (imperial) 100

Package Quantity 100

Material and Specifications

Material Polyester (PET)

Material Shortcut PET

Adhesive Acrylic

Shortcut Adhesive Acryl

Adhesive Operating Temperature -40 °F to +176 °F (-40 °C to +80 °C)

Operating Temperature -40 °F to +176 °F (-40 °C to +80 °C)

ROHS Conformity Yes

UL Recognized (US) Yes