

## MB2.5A10C2



Article Number: 151-29002

Adhesive Bases, .1" Max tie width, .625" Length/Width, .11" Hole Dia., PA66, White, 100/pkg



### Base Data

Local Order Number MB2.5A10C2

Type MB2.5A

Color White (WH)

- Features and Benefits**
- For use with 18 pound cable ties to provide stability when securing bundles.
  - Secures with rubber based adhesive backing and/or two or four screws.
  - 4 way opening allows cable ties to be installed parallel or perpendicular to wire bundles.

**Product Description** HellermannTyton adhesive fastened mounting bases are used with 18 through 150 pound cable ties to provide stability when securing bundles. The mounts are installed using the adhesive backing and/or by securing two or four screws. The 4 way opening allows the cable ties to be inserted parallel or perpendicular to the wire bundles.

**Fixation Method (FF)** Screw Mounting and Adhesive

**Short Description** Adhesive Bases, .1" Max tie width, .625" Length/Width, .11" Hole Dia., PA66, White, 100/pkg

### Product Dimensions

Length L (imperial) 0.625 "

Length L (metric) 15.9 mm

Width W (imperial) 0.625 "

Width W (metric) 15.9 mm

Cable Tie Width Max (imperial) 0.1 "

Cable Tie Width max. (metric) 2.54 mm

Height H (imperial) 0.16 "

Height H (metric) 4.1 mm

Mounting Hole Diameter D (imperial) 0.11 "

Mounting Hole Diameter D (metric) 2.8 mm

Thickness of Adhesive TA (imperial) 0.031 "

Thickness of Adhesive TA (metric) 0.8 mm

### Logistics and Packaging

Quantity per bag

Package Quantity 100

Carton Quantity 10000

### Material and Specifications

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66

**Adhesive** Synthetic rubber with base of polyethylene foam

<b>Shortcut Adhesive</b>	Synthetic rubber
<b>Adhesive Operating Temperature</b>	-4 °F to +122 °F (-20°C to +50°C)
<b>Flammability</b>	UL94 V2 (excluding adhesive)
<b>Operating Temperature</b>	-40 °F to +185 °F (-40 °C to +85 °C)
<b>ROHS Conformity</b>	Yes
<b>UL Listed (US and Canada)</b>	No
<b>UL Recognized (US and Canada)</b>	Yes