

Klein Tools supports VOTECH schools with the following programs:

VOTECH Student Discount

All VOTECH orders through distributors will receive discounts.

Tool Donation Program

Upon review and approval Klein Tools will provide product donations for qualifying programs where Klein tools are being used in the training labs.



Top Student Award Program

Reward the top-performing student in each graduating class.

Custom toolkits developed through collaboration with local instructors are available upon request.

Klein Tools Educational Mission

Foster a Healthy North American Economy & HVAC Industry

- Invest in the training & education of tomorrow's workforce
- Grow U.S. manufacturing
- Facilitate hands-on student experiences with our products



www.kleintools.com

For more information, contact your Klein Tools representative or our HVAC team at HVAC@kleintools.com

NON-CONTACT VOLTAGE TESTER WITH INFRARED THERMOMETER

NCVT-4IR




The **NCVT-4IR** provides non-contact determination of AC voltage in cables, cords, circuit breakers, switches, outlets, and wires; as well as Infrared (IR) temperature measurements.

- Detects AC voltage from 12 to 1000 V with visual and audible indicators
- IR thermometer with user selectable °F / °C from -22 to 482°F (-30 to 250°C)
- Targeting laser for IR temperature measurement can also be used as a laser pointer
- Auto Power-off conserves battery life
- · Backlight LCD for easy viewing in low light
- Screw-thread battery cap with 0-ring ensures water and dust resistance
- Lightweight, compact tool with pocket clip provides easy storage and quick access

| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|--|
| NCVT-4IR | 69061-7 | Non-Contact Voltage Tester with IR Thermometer |







DIGITAL POCKET THERMOMETER

ET05



Rugged, portable design with protective flow-through sheath/handle makes the **ET05** the perfect choice for HVAC professionals.

- Backlight LCD for easy viewing in low light
- User selectable Fahrenheit and Celsius temperature measurements
- Range -40 to 482° F (-40 to 250° C) with 0.1 degree resolution
- Lightweight, compact tool with pocket clip provides easy storage and quick access
- Auto-power off after 15 minutes conserves battery life
- 3" stainless steel probe is FDA GRAS-compliant

| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|----------------------------|
| ET05 | 69060-0 | Digital Pocket Thermometer |





CARBON MONOXIDE (CO) METER

ET110



The **ET110** is an easy-to-use meter that detects and measures concentration levels of carbon monoxide (ppm) and temperature (°F/°C). Backlit LCD screen for easy viewing in low light; warning indicator light blinks green for clean and red for CO detection.

- Backlit display with CO measurements from 0 to 1000 ppm
- Audible and visual alarms
- User protection with short-term exposure limit (STEL) alarm
- Low level alarm (35 ppm) and high level alarm (200 ppm)
- Auto-power off after 20 minutes conserves battery life



| Cat. No. | UPC 0-92644+ | Batteries | Height | Width | |
|----------|--------------|-----------|----------------|---------------|--|
| ET110 | 69065-5 | 4xAAA | 7.75" (197 mm) | 2.16" (55 mm) | |

Meter is NOT intended for use as personal protective equipment (PPE)



COMBUSTIBLE GAS LEAK DETECTOR

ET120



The **ET120** is an easy-to-use tester that provides audible and visual alarms in the presence of methane, propane, and other combustible gases.

- Detection range: ~ 50 to 10,000 ppm*
- 5- Red LED's (Visual) and 85 db audible alerts that increase with gas concentration
- Automatic zero-point calibration at power-up
- Two levels of detection: High (~50 to 1000 ppm) and Low (~50 to 10,000 ppm) sensitivity
- Electrochemical sensor with up to 7 years life
- 18" flexible gooseneck expands sensor's reach
- Auto-power off after 10 minutes conserves battery life

*Based on Methane

| Cat. No. | UPC 0-92644+ | Batteries | Height* | Width |
|----------|--------------|-----------|-----------------|---------------|
| ET120 | 69064-8 | 4xAAA | 8.11" (206 mm)* | 2.72" (69 mm) |



WRENCHES

Reversible Jaw 2-in-1 Adjustable Wrench/Pipe Wrench, 10"

Converts from adjustable wrench to pipe wrench

by simply reversing the removable jaw.

- Extra wide 1-1/2" (38mm) jaw opening in both configurations
- Easily change from an adjustable wrench to a pipe wrench
- Pipe wrench side of jaw grips pipes and round fasteners with self-gripping angled teeth
- Standard and metric markings for fast and precise adjustment



Reversible jaw has teeth and an obtuse angle to work as a pipe wrench







Slim Jaw Adjustable Wrenches- 4", 6", 8"

Designed for tight wrench-over-wrench applications with 40% Slimmer Jaws

Ideal for tight space wrench-over-wrench applications such as gas lines, pumps, and motors. Unique design minimizes protruding jaw shank for greater capacity and range of motion in confined areas. Standard and metric permanent markings for fast and precise adjustment. Manufactured for strength and durability.

- Slim Jaw is 40% thinner and meets
 ASME 107.00-2010 testing for adjustable wrenches
- Ideal for hard to reach applications motors, pumps, gas lines, expansion valves
- Extra-wide jaw with standard and metric markings

| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|---|
| D86930 | 69074-7 | Reversible, adjustable/pipe wrench, 10" |
| D86932 | 69075-4 | Slim jaw adjustable wrench, 4" |
| D86934 | 69076-1 | Slim jaw adjustable wrench, 6" |
| D86936 | 69084-6 | Slim jaw adjustable wrench, 8" |



HEX HEAD SLIDE DRIVER™ TOOLS

NEW



Stubby and Extended Reach 2-in-1 Slide Driver™ Nut Drivers **Stubby** 65131 **Extended Reach** 65129

| Cat. No. | UPC 0-92644+ | Description | Hex Sizes | Shank Length | Overall Length |
|----------|--------------|---|--|---------------|-----------------|
| 32596 | 32596-0 | 8-in-1 HVAC Slide Driver Screwdriver/Nut Driver | 1/4" & 5/16" magnetic nut drivers 1/4" & 3/8" hollow shaft nut drivers #2 Phillips; Schrader®; 1/8" and 1/4" slotted | 3.25" (83 mm) | 7.5" (190 mm) |
| 65129 | 65129-8 | 2-in-1 Hex Head Slide Driver/Nut Driver | 1/4" and 5/16" | 6" (152 mm) | 10.25" (260 mm) |
| 65131 | 65131-1 | Stubby 2-in-1 Hex Head Slide Driver/Nut Driver | 1/4" and 5/16" | 1.5" (38 mm) | 3.43" (85 mm) |











11-in-1 with Schrader® Valve Bit

32527

Versatile 11-in-1 tool includes two slotted, two Phillips, two square, three nut drivers and unique style bit for installation/removal of common TR-4 Schrader® valves and aggressive thread extractor tip for backing out broken cores. Top seller for HVAC and other industrial applications!



32292

15-in-1 HVAC Multi-Bit Driver with Schrader® Valve Bit

Multiple sizes in one convenient interchangeable tool!

Reduce the number of tools in their belt with this multi-bit driver. Cushion-Grip handle and heavy duty shaft exceed the torque performance of regular drivers. Fixed shaft and internal storage compartment for the bits so they stay with the driver.

• 14 different tips- Schrader® Valve Insertion/ Core Removal bits and screwdriver tips plus 1/4" nut driver



32581

4-in-1 Electronics Screwdriver

Four different tips in one tool; includes #0 and #00 Phillips plus 1/8" and 3/32" slotted. Rotating cap for optimum and precise control. Cushion-Grip handles for maximum comfort when working on small equipment.



Hex Head 2-in-1 Nut Driver

Two magnetic hex head drivers in one convenient handle

Features the popular 1/4" and 5/16" hex sizes most tradespeople need.

- Color coded for easy identification
- Wrench assist for additional torque
- Rare Earth magnetic ends hold screws in place while fastening
- Heavy duty handles and shafts exceed the torque performance of regular screwdrivers



HVAC Magnetic Hex Drivers

Klein Magnetic Hex Drivers are designed for driving sheet metal screws; strong Rare Earth magnets provide maximum holding power. Choose 1/4", 5/16" or 3/8" each in packs of 10 drivers.

| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|--|
| 32527 | 32527-4 | 11-in 1 with Schrader [®] Valve Bit |
| 32292 | 32292-1 | 15-in-1 HVAC Multi-Bit Driver with Schrader [®] |
| 65064 | 65064-2 | Hex Head 2-in-1 Screwdriver |
| 32581 | 32581-6 | 4-in-1 Electronics Screwdriver |
| 86600-10 | 86603-6 | 1/4" Mag Hex Drivers – 10 pk |
| 86601-10 | 86604-3 | 5/16" Mag Hex Drivers – 10 pk |
| 86602-10 | 86605-0 | 3/8" Mag Hex Drivers – 10 pk |
| 85484 | 85484-2 | Mini Cushion-Grip Screwdrivers Set, 4 pc. (not shown) |







CUTTERS



88910

Mini Tube Cutter

For 1/8" to 5/8" (3mm – 16 mm) copper and aluminum tubing. Requires only 1-3/8" (35mm) swing radius. (Not designed for cutting stainless steel or hard tempered tubing.)



88904

Professional Tube Cutter

Accurate 4-roller system; no spiraling. Professional reaming tool for stainless steel tubing; extra cutting wheel in the handle.





88912

PVC & Multilayer Tubing Cutter

Cuts 1" (25mm) O.D. multilayer plastic tubing and up to 3/4" (19 mm) schedule 40 PVC pipe.



Ratchet action allows easy, one-hand cutting. Quick one-handed blade release –no tools required. Cuts up to 2" PVC.

8 Piece Bi-Metal Hole Saw Kit

- Optimized teeth pattern for fast, consistent cutting of steel (including stainless steel)
- Contains the most popular sizes and two arbors in a rust proof molded plastic carrying case
- Longest lasting, fastest cutting blade on the market
- Includes 7/8", 1-1/8", 1-3/8", 1-3/4", 2", and 2-1/2" hole saws

NOTE: Read and follow safety instructions in power tool owner's manual.

| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|---|
| 88910 | 69077-8 | Mini Tube Cutter |
| 88912 | 69078-5 | PVC & Multilayer Tubing Cutter |
| 88904 | 88904-2 | Professional Tube Cutter |
| 50034 | 50034-3 | Ratcheting PVC Cutter |
| 31902 | 31902-0 | 8 pc. Hole Saw Kit |
| 32905 | 69113-3 | 3 pc. Hole Saw Kit with Arbor (not shown) |



SNIPS & DUCT TOOLS



DK06

Duct Knife

Double edged knife with regular and serrated blade. Cuts duct board and flexible duct; includes puncture resistant nylon sheath with belt loop.

Check local law on legality of selling or possessing this knife.

HVAC Nylon Tie Tensioning Tool


Excellent for securing fiberglass duct work with nylon ties; also used to secure cables and hoses.

| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|---|
| DK06 | 76101-0 | 6" Duct Knife |
| 86570 | 86570-1 | HVAC Nylon Tie Tensioning Tool |
| J2102S | 76032-7 | Journeyman Offset Snips- Straight Cutting |
| J2100L | 76030-3 | Journeyman Offset Snips – Left Cutting |
| J2101R | 76031-0 | Journeyman Offset Snips – Right Cutting |

PLIERS STRIPPERS CUTTERS CRIMPERS



CRIMPERS & PUMP PLIERS





1005

Crimping & Cutting Tool

Crimping die marked for insulated and non-insulated solderless terminals and connectors. Tapered nose for working in confined spaces.



1010

Long Nose Multi-Purpose Tool

This tool handles a wide range of functions, from wire and bolt cutting to stripping and crimping. The cutting and stripping holes are positioned in front of the pivot to easily fit into tight spaces. Plastic-covered cushioned handles make this tool comfortable to use.

Klein Klaw™ & PUMP PLIERS

Pump pliers feature a wide range of versatile jaw positions; secure tongue and groove design for non-slip grip.

- Klein's Classic Klaw[™] and Quick Adjust Klaw[™] pump pliers offer extended grips, compact narrow design for hard to reach spaces
- The Quick Adjust[™] style has a push button feature that allows for fast and easy adjustment to any position



| Cat. No. | UPC 0-92644+ | Description |
|----------|--------------|--|
| 1005 | 74204-0 | Crimping & Cutting Tool |
| 1010 | 74404-4 | Multi-Purpose Long Nose Tool |
| D504-7 | 73045-0 | 7" Classic Klein Klaw™ Pump Pliers |
| D504-10B | 73047-4 | 10" (254mm) Quick Adjust Klaw™ Pump Pliers |
| D502-10 | 73010-8 | 10" (254mm) Pump Pliers |
| D502-12 | 73018-4 | 12" (305mm) Pump Pliers |



Quick Adjust™ style with push button feature



PLIERS STRIPPERS TAPES...



| oluc outting i nois | | | |
|-------------------------|---------|---|--|
| D213-9NE | 70042-2 | 9" (229 mm) High-Leverage Side-Cutting Pliers | |
| Diagonal-Cutting Pliers | | | |
| D248-8 | 72070-3 | 8" (203 mm) High-Leverage Diagonal-Cutting Pliers - Angled Head | |
| D2000-49 | 72249-3 | 9" High-Leverage Diagonal-Cutting Pliers - Angled Head | |
| Wire Strippers | | | |
| 11061 | 42002-3 | Self-Adjusting Wire Stripper/Cutter | |
| 11055 | 74057-2 | Klein-Kurve® Wire Stripper/Cutter for Solid and Stranded Wire | |
| K12055 | 34355-1 | Forged Heavy Duty Wire Stripper | |
| Pump Pliers | | | |
| D502-12 | 73018-4 | 12" (305 mm) Pump Pliers | |
| D502-10 | 73010-8 | 10" (254 mm) Pump Pliers | |
| D504-10B | 73047-4 | 10" (254 mm) Quick-Adjust Klaw™ Pump Pliers | |
| D504-7 | 73045-0 | 7" (178 mm) Classic Klaw™ Pump Pliers | |
| Measuring Tapes | | | |
| 86225 | 86225-0 | Tape Measure- 25' (7.62 m) Magnetic Double Hook | |
| | | | |



IERS HEX SETS HOLEMAKING



| Cat. No. | UPC 0-92644+ | Description |
|-------------------------|--------------|---|
| Nut Drivers | | |
| 32801 | 32801-5 | 5-in-1 Multi-Nut Driver Heavy Duty |
| 635-4 | 32267-9 | 4 Piece Heavy-Duty Nut Driver Set |
| Screwdrivers | | |
| 32581 | 32581-6 | 4-in-1 Electronic Screwdriver |
| 32593 | 32593-9 | 6-in-1 Ratcheting Stubby Screwdriver |
| 32751 | 32751-3 | Adjustable Length Driver (4"-8") with #2 Phillips and 1/4" Slotted Blades |
| 612-4 | 32226-6 | Terminal Block Screwdriver |
| 602-7DD | 32222-8 | 7" Demolition Driver 5/16" Keystone |
| 602-4DD | 32221-1 | 4" Demolition Driver 1/4" Keystone |
| 603-4 | 85036-3 | #2 Phillips Screwdriver 4" Round Shank |
| Hex Sets & Box Wrenches | | |
| LLK12 | 33221-0 | 12-Piece L-Style Hex-Key Caddy Set - Inch |
| BLK12 | 33204-3 | 12-Piece Ball End L-Style Hex-Key Caddy Set - Inch |
| 70591 | 33267-8 | Nine-Key Inch Folding Hex-Key Set |
| 68244 | 68244-5 | 3-Piece Fully Reversible Ratcheting Offset Box Wrench Set |
| Holemaking | | |
| KTSB03 | 59103-7 | Step Drill Bit #3 |
| KTSB01 | 59101-3 | Step Drill Bit #1 |
| 31728 | 64009-4 | Reciprocating Saw Blade, 6" (152 mm), .035 wide, 18 TPI, for Heavy Gauge Metals, 5-pk |
| 31734 | 64047-6 | Reciprocating Saw Blade, 6" (152 mm), .035 wide, 24 TPI, for 18 Ga. Metal & Under, 5-pk |

NOTE: Read and follow safety instructions in power tool owner's manual.









TRADESMAN PRO™ BAGS



| Cat. No. | UPC 0-92644+ | Description | |
|----------------|--------------|--|--|
| 55421BP-14CAMO | 55438-4 | Tradesman Pro™ Camo Backpack (LIMITED) | |
| 55421BP-14 | 55467-4 | Tradesman Pro™ Organizer Backpack | |
| 55431 | 55431-5 | Tradesman Pro™ Lighted Tool Bag | |
| 5541610-14 | 55463-6 | Tradesman Pro™ 10-Inch Tote | |

JOURNEYMAN™ GLOVES







40224



40221

| Cat. No. | UPC 0-92644+ | Description | |
|----------------|--------------|--|--|
| 40206 | 40206-7 | Journeyman™ Utility Gloves, size L | |
| 40207 | 40207-4 | Journeyman™ Utility Gloves, size XL | |
| 40224 | 40224-1 | Journeyman™ Cut 5 Resistant Gloves, L | |
| 40225 | 40225-8 | Journeyman™ Cut 5 Resistant Gloves, XL | |
| 40221 40222 | 40221-0 | Journeyman™ Leather Gloves, size L | |
| 40222 | 40222-7 | Journeyman™ Leather Gloves, size XL | |

⚠WARNING: Not flameproof or fire retardant. DO NOT expose to open flame or sparks.

CONTRACTOR KIT BUILDING PROGRAM

Klein Tools offers pre-approved contractors custom kits that can be used to satisfy tool inventory needs related to service vans and jobsite boxes. These kits provide convenience and savings which is passed on through authorized Klein distributors to the contractor.

For more information, contact your Klein Tools representative or our HVAC team at HVAC@kleintools.com.



- Klein Tools can build a custom tool set to match any vocational school's or contractor's required tool list
- School/contractor specifies the contents of the kit
- Kit is assigned a unique Klein SKU number
- Purchase through the Klein distributor of your choice
- Minimum Quantity is (10) kits per order



Ask your Klein Tools representative for more information!



Quality Tools For Climate Control

TESTERS WRENCHES **DRIVERS** CUTTERS HOLEMAKING **DUCT TOOLS** SNIPS WIRE STRIPPERS PLIERS **JOURNEYMAN™ GLOVES** TRADESMAN PRO™ BAGS



See our complete line of HVAC products www.kleintools.com/HVAC





© 2017 Klein Tools, Inc. Lincolnshire, IL 60069 **96520 Rev. 08/17 A**