

69593-3






UPC Code: 07847794385

Country of Origin: Mexico - *Eligible for ARRA funded projects > \$7,443,000

Configuration:



Brand Features

Leviton's GFCI Devices are now sleeker and more rugged than ever! And, while these devices are fully OSHA compliant for use on job sites, they are also perfect for use in a variety of temporary power applications, such as recreation vehicles, marine vehicles, portable pools, portable generators, submersible pumps, vending machines and more.

Item Description

15 Amp, 120 Volt, NEMA 5-15, 3 FT. Cord Set, Straight Blade, Industrial Grade, Manual Reset GFCI Devices, 14-3-SJT-Yellow Cord

Technical Information

AC Horsepower Ratings

At Rated Voltage: 3/4 Horsepower

Electrical Specifications

Grounding: GFCI Ground Fault

Amperage: 15 Amp Voltage: 120 Volt **NEMA:** 5-15 Pole: 2

Wire: 3

Current Interrupting: 2 kA

Temperature Rise: Max 30C after 50 cycles OL at 150 percent rated current

Trip Level: 5mA plus or minus 1mA

Environmental Specifications

Flammability: Rated V-2 per UL94 Operating Temperature: -35C - 66C

Material Specifications

Body Material: Polycarbonate Blades/Contacts: Brass

Color: Black

Mechanical Specifications

Product ID: Ratings marked on device

Cord Type: Heavy-Duty #12/3 type SJTW yellow cord

Cord Length: 3 FT.

Product Features Voltage: 125 Volt

Cord Type: 14-3-SJT-Yellow Body Material: Super Tough Nylon Blades/Contacts: Solid Brass

Assembly Screws: Steel, Zinc Plated

Color: Yellow

Warranty: 1-Year Limited

Color: Black

Standards and Certifications


NEMA: WD-6 **ANSI:** C-73


UL 943: Class A (GFCI) UL 498: File E-48380 CSA C22.2: File LR-57811

NOM: 057


Warranty: 2 Year Limited







Wiring Diagram



5-15R

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc.
201 North Service Road, Melville, NY 11747
Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd.165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2012-2014 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

*Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.

