



LIGHTING & ELECTRICAL SALES CO

1981 TELLEPSEN

HOUSTON, TX 77023

Fluorescent Lighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



PM3N: Parabolic Lighting

784231162446	2PM3N G B 2 U316 9LD MVOLT GEB10IS	3" Louver Paramax Parabolic Troffer, 2'x2', Lay-InGrid, No Air Function, 2-31Watt T8 U Lamps, 9 Cell Diffuse Silver Louver, 120-277V, Instant Start Electronic Ballast	14.90	Dallas, TX	LightQuick XD
784231145081	2PM3N G D 2 U316 9LD MVOLT GEB10IS ACS	3" Louver Paramax Parabolic Troffer, 2'x2', Lay-In Grid, Dual Air Supply/Return, 2-31Watt T8 U Lamps, 9 Cell Diffuse Silver Louver, 120-277V, Instant Start Electronic Ballast, Air Closure Strips	16.50	Dallas, TX	LightQuick XD
784231139509	2PM3N G B 3 32 18LD MVOLT 1/3 GEB10IS	3" Louver Paramax Parabolic Troffer, 2'x4', Lay-In Grid, No Air Function, 3-32Watt T8 Lamps, 18 Cell Diffuse Silver Louver 120-277V, 1/3 Lamp Electronic Ballast	30.00	Dallas, TX	LightQuick XD
784231164570	2PM3N G B 3 32 18LD MVOLT GEB10IS	3" Louver Paramax Parabolic Troffer, 2'x4', Lay-In Grid, No Air Function, 18 Cell Diffuse Silver Louver, 120-277V, Instant Start Electronic Ballasts	25.15	Dallas, TX	LightQuick XD
784231173756	2PM3N G B 4 32 32LD MVOLT 1/4 GEB10IS	3" Louver Paramax Parabolic Troffer, 2'x4', Lay-In Grid, No Air Function, 4-32Watt T8 Lamps, 32 Cell Diffuse Silver Louver, 120-277V, 1/4 Lamp Instant Start Electronic Ballast	25.90	Dallas, TX	LightQuick XD
784231001653	2PM3N G B 3 32 18LD MVOLT 1/3 GEB10IS LP735	3" Louver Paramax Parabolic Troffer, 2'x4', Lay-In Grid, No Air Function, 3-32Watt T8 Lamps, 18 Cell Diffuse Silver Louver, 120-277V, 1/3 Lamp Electronic Ballast, 70 CRI 3500K Lamps Installed	26.65	Dallas, TX	LightQuick XD
784231145074	2PM3N G D 3 32 18LD MVOLT 1/3 GEB10IS ACS	3" Louver Paramax Parabolic Troffer, 2'x4', Lay-In Grid, Dual Function (Supply/Return/Heat), 3-32Watt T8 Lamps, 18 Cell Diffuse Silver Louver, 120-277V, 1/3 Lamp Instant Start Electronic Ballast, Air Closure Strips	25.45	Dallas, TX	LightQuick XD
784231139516	2PM3N G B 3 32 18LD MVOLT 1/3 GEB10IS PWS1836 LP735	3" Louver Paramax Parabolic Troffer, 2'x4', Grid, No Air Function, 3-32Watt T8 Lamps, 18 Cell Diffuse Silver Louver, 120-277V, 1/3 Lamp Instant Start Electronic Ballast, 70 CRI 3500K Lamps Installed	27.05	Dallas, TX	LightQuick XD



AV: Architectural Lighting

784231145494	2AV G 2 32 MDR MVOLT GEB10IS	Avante Recessed Direct/Indirect, 2'x4', Grid Trim, 2-32Watt T8 Lamps, Metal Diffuser (Round Holes), 120-277V, Instant Start Electronic Ballast	31.50	Dallas, TX	LightQuick XD
784231145524	2AV G 2 CF40 MDR MVOLT GEB10RS	Recessed Direct/Indirect, 2'x2', Grid Trim, 2-40Watt TT5 Lamps, Metal Diffuser (Round Holes), 120-277V, Rapid Start Electronic Ballast	17.50	Dallas, TX	LightQuick XD
784231145517	2AV G 3 32 MDR MVOLT 1/3 GEB10IS	Avante Recessed Direct/Indirect, 2'x4', Grid Trim, 3-32Watt T8 Lamps, Metal Diffuser (Round Holes), 120-277V, 1/3 Lamp Instant Start Electronic Ballast	31.40	Dallas, TX	LightQuick XD
784231145500	2AV G 3 32 MDR MVOLT GEB10IS	Recessed Direct/Indirect, 2'x4', Grid Trim, 3-32Watt T8 Lamps, Metal Diffuser (Round Holes), 120-277V, Instant Start Electronic Ballast	32.90	Dallas, TX	LightQuick XD

Fluorescent Lighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



GT8: General Purpose Troffers

784231155004	2GT8 2 32 A12 MVOLT GEB10IS	General Purpose T8 Lensed Troffer, 2'x4', 2-32Watt T8 Lamps, .095" Thick Lens, 120-277V, Instant Start Electronic Ballast	19.15	Dallas, TX	LightQuick XD
784231145067	2GT8 2 U316 A12 MVOLT GEB10IS	General Purpose T8 Lensed Troffer, 2'x2', 2 -31Watt T8 U Lamps, .095" Thick Lens, 120-277V, Instant Start Electronic Ballast	12.20	Dallas, TX	LightQuick XD
784231139479	2GT8 3 32 A12 MVOLT 1/3 GEB10IS	General Purpose T8 Lensed Troffer, 2'x4', 3-32Watt T8 Lamps, .095" Thick Lens, 120-277V, 1/3 Lamp T8 Instant Start Electronic Ballast	21.00	Dallas, TX	LightQuick XD
784231163931	2GT8 3 32 A12 MVOLT 1/3 GEB10IS LP735	General Purpose T8 Lensed Troffer, 2'x4', 3-32Watt T8 Lamps, .095" Thick Lens, 120-277V, 1/3 Lamp Instant Start Electronic Ballast, 70 CRI 3500K Lamps Installed	21.70	Dallas, TX	LightQuick XD
784231159330	2GT8 3 32 A12 MVOLT GEB10IS	General Purpose T8 Lensed Troffer, 2'x4', 3-32Watt T8 Lamps, .095" Thick Lens, 120-277V, Instant Start Electronic Ballast	21.90	Dallas, TX	LightQuick XD
784231139462	2GT8 4 32 A12 MVOLT 1/4 GEB10IS	General Purpose T8 Lensed Troffer, 2'x4', 4-32Watt T8 Lamps, .095" Thick Lens, 120-277V, 1/4 Lamp Instant Start Electronic Ballast	20.80	Dallas, TX	LightQuick XD
784231162453	2GT8 4 32 A12 MVOLT 1/4 GEB10IS LP735	General Purpose T8 Lensed Troffer, 2'x4', 4-32Watt T8 Lamps, .095" Thick Lens, 120-277V, 1/4 Lamp Instant Start Electronic Ballast, 70 CRI 3500K Lamps Installed	22.00	Dallas, TX	LightQuick XD
784231150023	2GT8 4 32 A12 MVOLT GEB10IS	General Purpose T8 Lensed Troffer, 2'x4', 4-32Watt T8 Lamps, .095" Thick Lens, 120-277V, Instant Start Electronic Ballast	21.35	Dallas, TX	LightQuick XD
784231139523	2GT8 3 32 A12 MVOLT 1/3 GEB10IS PWS1836 LP735	General Purpose T8 Lensed Troffer, 2'x4', 3-32Watt T8 Lamps, .095" Thick Lens, 120-277V, 1/3 Lamp Instant Start Electronic Ballast, 6' 18-Gauge Whip, 70 CRI - 3500K Lamps Installed, <10% THD	23.90	Dallas, TX	LightQuick XD
784231139486	2GT8 4 32 A12 MVOLT 1/4 GEB10IS PWS1836 LP735	General Purpose T8 Lensed Troffer, 2'x4', 4-32Watt T8 Lamps, 120-277V, 1/4 Lamp Instant Start Electronic Ballast, Prewire - 3/8" Dia - 18 Guage Wire - 1 Circuit - 6 Feet, 70 CRI 3500K Lamps Installed	25.90	Dallas, TX	LightQuick XD



LB: Low Profile Wraparounds

784231151105	LB 2 32 MVOLT GEB10IS	Low-Profile Wrap, 4', 2-32Watt T8 Lamps, 120-277V, Instant Start Electronic Ballast	11.25	Dallas, TX	LightQuick XD
784231151129	LB 4 32 MVOLT 1/4 GEB10IS	Low-Profile Wrap, 4', 4-32 Watt T8 Lamps, 120-277V, 1/4 Lamp Instant Start Electronic Ballast	15.15	Dallas, TX	LightQuick XD



SB: Square-Basket Wraparounds

784231149973	SB 2 32 MVOLT GEB10IS	Square Basket Wraparound, 4', 2-32Watt T8 Lamps, 120-277V, T8 Instant Start Electronic Ballast	10.10	Dallas, TX	LightQuick XD
784231149980	SB 4 32 MVOLT 1/4 GEB10IS	Square Basket Wraparound, 4', 4-32Watt T8 Lamps, 120-277V, 1/4 Lamp T8 Instant Start Electronic Ballast	13.90	Dallas, TX	LightQuick XD



Fluorescent Lighting

10.10 Dallas, TX

LightQuick

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



RB-CS: Contractor Select Narrow Basket Wraparound

745973790076 RB232	Narrow Basket Wraparound, 4', (2) F32T8 Lamps, 120V, Instant Start Electronic Ballast	7.95	Dallas, TX	LightQuick XD
	WC: Wall Brackets			

All-Purpose Wall Bracket, 4', 2-32Watt T8 Lamps, 120-277V, Instant Start Electronic



784231159231 WC 2 32 MVOLT GEB10IS

S: Narrow Channel Strips

784231159286	S 1 32 MVOLT GEB10IS	Narrow Strip, 4', 1-32Watt T8 Lamp, 120-277V, T8 Instant Start Electronic Ballast	4.50	Dallas, TX	LightQuick XD
784231176276	TS 1 32 MVOLT GEB10IS	Narrow Strip, 8', 2-32Watt T8 Lamps, 120-277V, Instant Start Electronic Ballast	8.00	Dallas, TX	LightQuick XD
745972170817	S 1 25 MVOLT GEB10IS		7.79	Dallas, TX	LightQuick XD



S-CS: Contractor Select Narrow Channel Strips

745973790212	S120	Contractor Select - Narrow Strip 2', (1) F20T12 Lamp, 120V, Electronic Ballast	3.85	Dallas, TX	LightQuick XD
745973790250	S140	Contractor Select - Narrow Strip, 4', (1) F40T12 Lamp, 120V, Electronic Ballast	5.56	Dallas, TX	LightQuick XD
745973962985	S130	Narrow Strip, 3', 1-30Watt T12 Lamp, 120-277 Volt Ballast	4.85	Dallas, TX	LightQuick XD
745973962992	S115	Narrow Strip, 2', 1-15Watt T12 Lamp, 120-277 Volt	8.50	Dallas, TX	LightQuick XD

Fluorescent Lighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



784231027790	C 2 20 120 LPF	General Purpose Strip, 2', 2-20Watt T12 Lamps, Low Power Factor	5.30	Dallas, TX	LightQuick XD
784231151082	C 2 32 MVOLT GEB10IS	General Purpose Strip, 4', 2-32Watt T8 Lamps, 120-277V, Instant Start Electronic Ballast	6.20	Dallas, TX	LightQuick XD
784231163993	C 2 96T8 MVOLT GEB10IS	General Purpose Strip, 8', 2-59Watt T8 Slimline Lamps, 120-277V, T8 Instant Start Electronic Ballast	11.25	Dallas, TX	LightQuick XD
784231159248	TC 2 32 MVOLT 1/4 GEB10IS	Tandem General Purpose Strip, 8', 4-32Watt T8 Lamps, 120-277V, 1/4 Lamp Instant Start Electronic Ballast	11.10	Dallas, TX	LightQuick XD



UN-CS: Contractor Select Heavy-Duty Channel Strips

745973790267 UN296HO	Contractor Select - Heavy-Duty Strip, 8', (2) F96T12HO Lamps, 120V, Cold Weather Ballast -20 F Starting, Rapid-Start Electronic Ballast	22.36 Dallas, TX	LightQuick XD	
----------------------	---	------------------	------------------	--



Page

Printed 06/11/2008

Industrial Fluorescent

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



745971623062	IB 454L	Fluorescent High Bay (I-Beam), 4-54Watt T5HO Lamps, 120-277V, Narrow w/ Uplight, Program Start Electronic Ballast, 80CRI 4100K Lamps Installed	15.75	Dallas, TX	LightQuick XD
745971107210	IB 654L	Fluorescent High Bay (I-Beam), 6-54Watt T5HO Lamps, 120V, Narrow w/ Uplight,	17.50	Dallas, TX	LightQuick
		Program Start Electronic Ballast, 80CRI 4100K Lamps Installed			XD



EJ: General-Purpose Industrials

784231179642	EJD 2 96HO 120 ES CW20	General Purpose Industrial (Uplight), 8', 2110Watt T12 800mA Lamps, 120V, Energy	32.55	Dallas, TX	LightQuick	
		Saving System, Cold Weather Ballast -20 F Starting			XD	



L: Standard Industrials

784231159255	L 2 32 MVOLT GEB10IS	Standard Industrial, 4', 2-32Watt T8 Lamps, 120-277V, Instant Start Electronic Ballast	9.85	Dallas, TX	LightQuick XD
784231176221	TLA 2 32 MVOLT 1/4 GEB10IS	Tandem Standard Industrial (8% Uplight), 8', 2-32Watt T8 Lamps, 120-277V, 1/4 Lamp Instant Start Electronic Ballast	17.15	Dallas, TX	LightQuick XD



DM-DMW: Damp and Wet Location Industrials

784231151099	DMW 2 32 MVOLT GEB10IS	Enclosed Fiberglass Wet Location Industrial, 4', 2-32Watt T8 Lamps, 120-277V, Instant Start Electronic Ballast	0 Dallas, TX	LightQuick
	GEBTUIS	Start Electronic Ballast		XD

Fluorescent Lighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock

All Fluorescent Accessories: Fluorescent Accessories

784231021828	HC36 M12	Wire Hook and Chain, 36"	.46	Dallas, TX	LightQuick XD
745974439240	WGCUN NST	Wireguard for C and UNS/UND Series, 4'.	2.00	Dallas, TX	LightQuick XD
784231023778	WGL	Wireguard for L/LA Series, 4'	2.40	Dallas, TX	LightQuick XD




UPC Code	Product	Description	Wt (lbs) Inv Location	Product	Local
				Type	Dist.
					Stock



LP8F: 8" Vertical Fluorescent Frame-In

784231152812	LP8F 26-42TRT MVOLT	8" 1-Lamp 26-42TRT MVOLT Non-IC Frame-In, For use with 8 Series Reflectors, Unit	3.90 Da	allas, TX	LightQuick	
		Pack			ΧD	



8 Series: 8" Vertical Reflectors

784231152935	802AZ U	8" Open Clear Specular Reflector, For use with LP8F, LP8H and LP8 Frame-Ins, Unit-Pack	1.50	Dallas, TX	LightQuick XD
784231152942	8O2AZ J4	8" Open Clear Specular Reflector, For Use with LP8, LP8F and LP8H Frame-Ins, 4-Pack	4.25	Dallas, TX	LightQuick



LF6 TRT:

784231160091	LF6 2/26DTT MVOLT	6" 2-Lamp 26DTT MVOLT Non-IC Frame-In, For use with F6O2, F6B3, F6W1 and F6L	4.20 Dallas, TX	LightQuick
		Reflectors Unit-Pack	, in the second second	ΧD



LP6F: 6" Vertical Fluorescent Frame-In

784231160084	LP6F 26-42TRT MVOLT	6" 1-Lamp 26-42TRT MVOLT Non-IC Frame-In, For use with 6 Series Reflectors,	3.35	Dallas, TX	LightQuick	
		Unit-Pack			XD	




LP6: 6" Vertical Incandescent Frame-In

784231067529	LP6 J6	6" Incandescent Non-IC Frame-In, For use with 6 Series Reflectors, 6-Pack	16.30	Dallas, TX	LightQuick
					XD

Downlighting

UPC Code Product Description Wt (lbs) Inv Location Product Local Type Dist.



F6 DTT Series:

784231142424 F6O2AZ 6" Open Clear Specular Reflector, For use with LF6 2-Lamp DTT Frame-Ins, Unit-Pack .85 Dallas, TX LightQuick XD



Residential Recessed

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



LC6: 6" Incandescent Housing

784231051146 LC6 R6	6" Airtight IC/Non-IC Housing for Standard 2 X 8" Construction, Injection Molded Frame	2.82	Dallas, TX	LightQuick
	with Aluminum Can. For use with 6. 7 and C. Series Trims, 6-Pack			ΧD




L7X: 6" Contractor Select Incandescent Housing

784231091906	L7X R6	6" IC/Non-IC Air-Tight Housing for Standard 2 X 8" Construction, Steel Frame with	3.35	Dallas, TX	LightQuick
		Aluminum Can, For use with 6, 7, and C Series Trims, 6-Pack			XD



LI6: 6" Incandescent High-Wattage IC/Sloped Ceiling Housing

784231067567	LI6	6" High-Wattage IC/Sloped Ceiling Housing, Pre-Painted Steel Housing, For use with 6 Series Trims, Unit-Pack	6.50	Dallas, TX	LightQuick XD
784231103258	LI6 AT	6" High-Wattage IC/Sloped Ceiling Housing, Pre-Painted Steel Housing, Air-Tight, For Use with 6 Series Trims. Unit Pack	6.65	Dallas, TX	LightQuick XD



6 Series: 6" Premium Trims

745973753019	6B1W R6	6" White Baffle Trim, Wide Flange, For use with LC6, L7X, L7XR and Ll6 Housings, 6-Pack	.48	Dallas, TX	LightQuick XD
784231051900	6SB1W	6" White Baffle Sloped Ceiling Trim, For use with Ll6 and Ll6F Housings, Unit-Pack	.80	Dallas, TX	LightQuick XD
745973753057	6LF1 R6	6" Flush Opal Polycarbonate Lens Trim, For use with LC6, L7X, L7XR and LI6 Housings, 6-Pack	4.15	Dallas, TX	LightQuick XD



7 Series-CS: Contractor Select 7 Series Standard Trims

784231085394	7B2 R24	6" Black Baffle Trim, Narrow Flange, For Use with L7X, L7XR, LC6, L7XF, and L7XF RECF Housings, 24-Pack	.29	Dallas, TX	LightQuick XD
784231085400	7B2W R24	6" White Baffle Trim, Narrow Flange, For Use with L7X, L7XR, LC6, L7XF, and L7XF RECF Housings, 24-Pack	.25	Dallas, TX	LightQuick XD
784231085455	7E1 R6	6" White Eyeball Trim, Narrow Flange, For Use with L7X, L7XR, L7PR, LC6, LCP, and L7XF RECF Housings, 6-Pack	3.40	Dallas, TX	LightQuick XD



Residential Recessed

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



LCP: 6" Shallow Incandescent Housing

784231051108 LCP R6	6" IC/Non-IC Housing for 2x6" Construction, Injection Molded Frame with Aluminum Can,	2.82 Dallas, TX	LightQuick
	Air Tight For I loo with C and Challow 7 Carica Trima 6 Dook		VD



C Series: 6" Premium Shallow Trims

745973753095	CO1 R6	6" White Open Trim, Wide Flange, For use with LCP, LC6, LUPF, L7PR, L7X, L7XR and	3.25 Dallas, TX	LightQuick
		L7XF Housings 6-Pack		XD



L5: 5" Contractor Select Incandescent Housing

745973345160 L5 R6	5" IC Housing, Aluminum Remodel Can, For use with 5 Series Trims, 6-Pack	14.05 Dallas, TX LightQuick
		VD



5 Series-CS: Contractor Select 5 Series Trims

745973752883	5E1 R6	5" White Eyeball Trim, Narrow Flange, For Use with the L5 and L5R Housings, 6-Pack	2.55	Dallas, TX	LightQuick XD
745973752869	5B2W R12	5" White Baffle Trim, Narrow Flange. For use with L5 and L5R Housings, 12-Pack.	.28	Dallas, TX	LightQuick XD



L3: 3" Contractor Select Incandescent Housing

784231100158 L3 M6	3" IC/Non-IC Housing, Steel Frame with Aluminum Can, For use with 3 Series Trims,	2.33 Dallas, TX LightQuick
	6-Pack	XD


Residential Recessed

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



L3R: 3" Contractor Select Incandescent Remodel Housing

784231100165	L3R M6	3" IC/Non-IC Housing, Aluminum Remodel Can, For use with 3 Series Trims, 6-Pack	1.31	Dallas, TX	LightQuick
					XD



3 Series-CS: Contractor Select 3 Series Trims

745973752906	301 R12	3" White Open Trim, Narrow Flange. For use with L3, L3R and Ll3 Housings, 12-Pack.	.18	Dallas, TX	LightQuick XD
745973752913	3B1 R12	3" Black Baffle Trim, Narrow Flange, For use with L3, L3R and Ll3 Housings, 12-Pack	2.40	Dallas, TX	LightQuick XD
745973752920	3B1W R12	3" White Baffle Trim, Narrow Flange, For use with L3, L3R and Ll3 Housings, 12-Pack	.95	Dallas, TX	LightQuick XD
745973752937	3E1 R6	3" White Eyeball Trim, Narrow Flange, For use with L3, L3R and Ll3 Housings, 6-Pack	1.85	Dallas, TX	LightQuick XD
784231114490	3H2O	3" White Wet Location Shower Trim, Narrow Drop Flange, Lamp Included, For use with L3. L3R and Ll3 Housings. Unit-Pack	.25	Dallas, TX	LightQuick XD



SL1: Incandescent Indoor Steplight

784231102459 SL1	9" White IC/Non-IC Steplight, Steel Housing with Faceplate, Unit-Pack	2.60	Dallas, TX	LightQuick
				XD

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



EX-CS: Contractor Select Exit Signs - LED

745973431658	EXR M6	Contractor Select - Economy-Grade White Thermoplastic LED Exit, Single Stencil Face with Extra Face Plate, Red Letters	2.95	Dallas, TX	LightQuick XD
745973431665	EXG M6	Contractor Select - Economy-Grade White Thermoplastic LED Exit, Single Stencil Face with Extra Face Plate, Green Letters	2.90	Dallas, TX	LightQuick XD
745973431771	EXR EL M6	Contractor Select - Economy-Grade White Thermoplastic Emergency LED Exit, Single Stencil Face with Extra Face Plate, Red Letters	3.10	Dallas, TX	LightQuick XD
745973431788	EXG EL M6	Contractor Select - Economy-Grade White Thermoplastic Emergency LED Exit, Single Stencil Face with Extra Face Plate, Green Letters	19.05	Dallas, TX	LightQuick XD



LQM: Quantum Thermoplastic Exit Signs - LED

784231011553	LQM S W 3 R 120/277 EL N M6	White Thermoplastic Emergency LED Exit, Single Stencil Face with Extra Face Plate, Red Letters	2.40	Dallas, TX	LightQuick XD
784231011508	LQM S W 3 R 120/277 M6	White Thermoplastic LED Exit, Single Stencil Face with Extra Face Plate, Red Letters	2.30	Dallas, TX	LightQuick XD



LQC: Quantum Die-Cast Exit Sign

745972400556	LQC 1 R EL N	Quantum Die-Cast One Face Exit sign, Red LED, with Battery Back-up	4.60	Dallas, TX	LightQuick
					XD



LQM: Quantum Thermoplastic Exit Signs - LED

704004044644	LQM S W 3 G 120/277 EL	White Thermanicatic Engagement I ED Evit Cingle Ctanail Fore with Evity Fore Dista	2.45	Dallas, TX	Limb4Outale	
784231011614	LQIVI 5 VV 3 G 120/2/1 EL	White Thermoplastic Emergency LED Exit, Single Stencil Face with Extra Face Plate,	2.45	Dallas, IX	LightQuick	
					ŭ ./=	
	N M6	Green Letters			XD	
	IN IVIO	Olech Letters			AD.	



EXIT LHQM: Quantum Exit-Unit Combos - LED

784231083895	LHQM S W 3 R 120/277	White Thermoplastic 2-Headed LED Exit/Unit Combo, Single Stencil Face with Extra Faceplate, Red Letters	7.45	Dallas, TX	LightQuick XD	
784231089408	LHQM S W 3 G 120/277	White Thermoplastic 2-Headed LED Exit/Unit Combo, Single Stencil Face with Extra Faceplate. Green Letters	7.80	Dallas, TX	LightQuick XD	

Emergency Lighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



ELM-ELM2: Quantum Thermoplastic Units



784231000649	ELM1254	White Thermoplastic 12V, 54W, Self-Contained Emergency Lighting Unit	13.30	Dallas, TX	LightQuick XD
784231000588	ELM618	White Thermoplastic 6V, 18W, Self-Contained Emergency Lighting Unit	6.90	Dallas, TX	LightQuick XD
784231010822	ELM	White Thermoplastic 6V Self-Contained Emergency Lighting Unit with Fixed Optics	3.35	Dallas, TX	LightQuick XD
784231010839	ELM2	White Thermoplastic 6V Self-Contained Emergency Lighting Unit with Adjustable Optics	3.00	Dallas, TX	LightQuick XD



EU-CS: Contractor Select Emergency Unit

745973432020 EU2 M6 Contractor Select - Economy-Grade White Thermoplastic 6V Self-Contained Emergency 4.10 Dallas, TX LightQuick XD



LE: Signature Series Die-Cast Aluminum Exit Signs - LED

784231131947	LE S 1 R 120/277 EL N	Brushed Die-Cast Emergency LED Exit, Single Stencil Face, Red Letters	4.80	Dallas, TX	LightQuick XD
784231131985	LE S 2 R 120/277 EL N	Brushed Die-Cast Emergency LED Exit, Double Stencil Face, Red Letters	4.80	Dallas, TX	LightQuick XD
784231132012	LE S W 1 R 120/277 EL N	White Die-Cast Emergency LED Exit, Single Stencil Face, Red Letters	5.00	Dallas, TX	LightQuick XD



EDG: Surface-Mount Edge-Lit Exit Signs - LED

784231166260	EDG 1 G 120/277 EL N M6	Edge-Lit LED Exit with Battery, Single Face, Green Letters On Clear Background	4.62	Dallas, TX	LightQuick XD
784231166253	EDG 1 R 120/277 EL N M6	Edge-Lit LED Exit with Battery, Single Face, Red Letters On Clear Background	4.62	Dallas, TX	LightQuick XD
784231166321	EDG 2 G 120/277 EL N M6	Edge-Lit LED Exit with Battery, Double Face, Green Letters On Mirror Background	4.62	Dallas, TX	LightQuick XD
784231166314	EDG 2 R 120/277 EL N M6	Edge-Lit LED Exit with Battery, Double Face, Red Letters On Mirror Background	4.62	Dallas, TX	LightQuick XD
784231166239	EDG 1 R 120/277 M6	Edge-Lit LED Exit, Single Face, Red Letters On Clear Background	4.44	Dallas, TX	LightQuick XD
784231166291	EDG 2 R 120/277 M6	Edge-Lit LED Exit, Double Face, Red Letters On Mirror Background	4.44	Dallas, TX	LightQuick XD

Emergency Lighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



PS: Fluorescent Battery Packs, Linear Fluorescent

784231007136	PS300QD M12	Reduced-Profile, Quick-Disconnect Fluorescent Battery Pack, Operates One 2'-4' or U-shaped T8 or T12 Fluorescent Lamp, 300 Lumens	1.30	Dallas, TX	LightQuick XD
784231103593	PS1400QD M8	Reduced-Profile, Quick-Disconnect Fluorescent Battery Pack, Operates One or Two 2'-4' Fluorescent T8-T12 Lamps, One 2'-4' Fluorescent T5, T8 or T12, HO, Long Compactor One 6'-8' Fluorescent T12, 1400 Lumens	2.80	Dallas, TX	LightQuick XD
784231124413	PSQ500QD M12	Reduced-Profile, Quick-Disconnect, Quick Mount Fluorescent Battery Pack, Operates One 2'-4' or U-shaped T8 or T12 Fluorescent Lamp, 500 Lumens	1.50	Dallas, TX	LightQuick XD



PSDL: Fluorescent Battery Packs, Downlighting

784231103210 PSDL3 M6	Fluorescent Battery Pack, Operates One 42W Triple-Tube Compact Fluorescent Lamp,	4.00 Dallas, TX	LightQuick
	or One or Two 13-32W Compact Fluorescent Lamps, 400-1038 Lumens		XD

UPC Code	Product	Description	Wt (lbs	Inv Location	Product	Local
					Type	Dist.
						Stock



TH-PA22: Master line for Open Acrylic Hi-Bay with 22" Optical

N/A	THR 400M PA22 277	Open Acrylic Hi-Bay with 22" Reflector - 400W Metal Halide and 277V Ballast. Consists of TH 400M 277 HSG and PA22. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THR 400M PA22 480	Open Acrylic Hi-Bay with 22" Reflector - 400W Metal Halide and 480V Ballast. Consists of TH 400M 480 HSG and PA22. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THR 400M PA22 TB	Open Acrylic Hi-Bay with 22" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TH 400M TB HSG and PA22. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THR 400M PA22 TB QRS	Open Acrylic Hi-Bay with 22" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V) with Quartz Restrike Option. Consists of TH 400M TB QRS HSG and PA22. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THR 400MP PA22 TB QRS	Open Acrylic Hi-Bay with 22" Reflector and Protected Socket - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V) with Quartz Restrike Option. Consists of TH 400MP TB QRS HSG and PA22. Depending upon quantity ordered, elements may ship in uni	Dallas, TX	LightQuick XD



TH-A22: Master line for Premium Open Aluminum Hi-Bay with 22" Optical

N/A	THP 1000M A22 480	Premium Open Aluminum Hi-Bay with 22" Reflector - 1000W Metal Halide and 480V Ballast. Consists of TH 1000M 480 HSG and A22. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THP 1000M A22 TB	Premium Open Aluminum Hi-Bay with 22" Reflector - 1000W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TH 1000M TB HSG and A22. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD



TH-A16: Master line for Open Aluminum Hi-Bay with 16" Optical

N/A	THS 400M A16 277	Open Aluminum Hi-Bay with 16" Reflector - 400W Metal Halide and 277V Ballast. Consists of TH 400M 277 HSG and A16. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THS 400M A16 480	Open Aluminum Hi-Bay with 16" Reflector - 400W Metal Halide and 480V Ballast. Consists of TH 400M 480 HSG and A16. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THS 400M A16 TB	Open Aluminum Hi-Bay with 16" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TH 400M TB HSG and A16. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THS 400M A16 TB QRS	Open Aluminum Hi-Bay with 16" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V) with Quartz Restrike Option. Consists of TH 400M TB QRS HSG and A16. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THS 400MP A16 TB QRS	Open Aluminum Hi-Bay with 16" Reflector and Protected Socket - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V) with Quartz Restrike Option. Consists of TH 400MP TB QRS HSG and A16. Depending upon quantity ordered, elements may ship in uni	Dallas, TX	LightQuick XD



UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



TH-A15: Master line for Open Aluminum Hi-Bay with 15" Optical

N/A	THC 400M A15 480	Open Aluminum Hi-Bay with 15" Reflector - 400W Metal Halide and 480V Ballast. Consists of TH 400M 480 HSG and A15. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THC 400M A15 TB	Open Aluminum Hi-Bay with 15" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TH 400M TBV HSG and A15. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THC 400M A15 TB QRS	Open Aluminum Hi-Bay with 15" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V) with Quartz Restrike Option. Consists of TH 400M TB QRS HSG and A15. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	THC 400MP A15 TB QRS	Open Aluminum Hi-Bay with 15" Reflector and Protected Socket - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V) with Quartz Restrike Option. Consists of TH 400MP TB QRS HSG and A15. Depending upon quantity ordered, elements may ship in uni	Dallas, TX	LightQuick XD



TX-A26: Master line for Premium Enclosed Aluminum Low-Bay with 26" Optical

N/A	TXP 250M A26 TB	Premium Enclosed Aluminum Low-Bay with 26" Reflector - 250W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TX 250M TB HSG and A26. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	TXP 400M A26 TB	Premium Enclosed Aluminum Low-Bay with 26" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TX 400M TB HSG and A26. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD



TX-A23: Master line for Enclosed Aluminum Low-Bay with 23" Optical

N/A	TXC 250M A23 TB	Enclosed Aluminum Low-Bay with 23" Reflector - 250W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TX 250M TB HSG and A23. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	TXC 400M A23 TB	Enclosed Aluminum Low-Bay with 23" Reflector - 400W Metal Halide and Multi-Tap Ballast (120, 208, 240 and 277V). Consists of TX 400M TB HSG and A23. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD



THD: High Bay Unitized Distributor Pack

784231004692	THD 400M A15 TB LPI	400W Metal Halide Multi-Tap TH Ballast Housing, White Finish, 15" Reflector, Lamp Included in Carton	20.85 Dallas, TX	LightQuick XD



UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



CHD-CS: Contractor Select Distributor Pack

745973940860	CHD400L	Contractor Select - 400W Metal Halide, 15 Anodized Reflector, Multi-tap Ballast, Cast Aluminum Housing, White Powder Coat Finish, Steel Safety Hook, Lamp Included in	21.32	Dallas, TX	LightQuick XD	
		Unitized Carton				



CXD-CS: Contractor Select Distributor Pack - Low Bay

745973940877	CXD400L	Contractor Select - 400W Metal Halide, 20 Reflector and Acrylic Lens, Multi-tap Ballast,	25.18 Dallas, TX	LightQuick
		Cast Aluminum Housing, White Powder Coat Finish, Steel Hook, Lamp Included in		XD



TH: High Bay Ballast Housing for all Reflector Types

784231080313	TH 1000M 480 HSG	1000W Metal Halide 480V Ballast, White Finish	28.55 Dallas, TX LightQuick XD
784231080320	TH 1000M TB HSG	1000W Metal Halide Multi-Tap Ballast, White Finish	27.90 Dallas, TX LightQuick XD
784231080405	TH 400M 480 HSG	400W Metal Halide 480V Ballast, White Finish	17.35 Dallas, TX LightQuick XD
784231080412	TH 400M TB HSG	400W Metal Halide Multi-Tap Ballast, White Finish	17.00 Dallas, TX LightQuick XD



A15: 15" Hi-Tek Aluminum High Bay Optical

784231004609	A15 J12	15" Spun Anodized Aluminum Reflector, 12-Pack	13.95	Dallas, TX	LightQuick XD
784231004593	A15 J6	15" Spun Anodized Aluminum Reflector, 6-Pack	7.55	Dallas, TX	LightQuick XD
784231015759	A15 U	15" Spun Anodized Aluminum Reflector, Unit-Pack	2.10	Dallas, TX	LightQuick XD

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



A16: 16" Hi-Tek Aluminum High Bay Optical

784231031599	A16 J12	16" Spun Anodized Aluminum Reflector, 12-Pack	23.10	Dallas, TX	LightQuick XD
784231031520	A16 J4	16" Spun Anodized Aluminum Reflector, 4-Pack	8.05	Dallas, TX	LightQuick XD
784231031506	A16 U	16" Spun Anodized Aluminum Reflector, Unit-Pack	3.20	Dallas, TX	LightQuick XD



PA22: 22" Acrylume Open Acrylic High Bay Optical

784231032398	PA22 J4	22" Prismatic Acrylic Reflector, 4-Pack	30.65 Dallas, TX	LightQuick XD
784231032299	PA22 U	22" Prismatic Acrylic Reflector, Unit-Pack	3.40 Dallas, TX	LightQuick



A22: 22" Hi-Tek Aluminum High Bay Optical

784231031544 A22 U	22" Premium Arc-Tec II Spun Anodized Aluminum Reflector, Unit-Pack	6.20 Dallas, TX LightQuick
		XD



TXD: Low Bay Unitized Distributor Pack

784231067802 TXD 400M A23 TB LPI	400W Metal Halide Multi-Tap TX Ballast Housing, White Finish, 23" Reflector, Lamp	29.45 Dallas, TX LightQuick	
	Included in Carton	VD	



TX: Low Bay Ballast Housing for all Reflector Types

784231080528	TX 400M TB HSG	400W Metal Halide Multi-Tap Ballast, White Finish	16.00 Dallas, TX	LightQuick
				XD

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



A23: 23" Hi-Tek Aluminum Low Bay Optical

784231081761	A23 U	23" Painted Aluminum Reflector and Acrylic Lens Optical, Unit-Pack	13.05	Dallas, TX	LightQuick XD
784231081778	A23LD J4	23" Painted Aluminum Reflector Less Lens, 4-Pack	11.40	Dallas, TX	LightQuick XD
784231036785	AR23 J4	23" Acrylic Lens Assembly, 4-Pack	12.20	Dallas, TX	LightQuick XD



A26: 26" Hi-Tek Aluminum Low Bay Optical

784231079744	A26 U	26" Premium Anodized Aluminum Reflector Less Lens, Unit-Pack	15.45	Dallas, TX	LightQuick XD
784231079775	A26LD J4	26" Premium Anodized Aluminum Reflector Less Lens, 4-Pack	21.20	Dallas, TX	LightQuick XD
784231080832	AR26 J4	26" Acrylic Lens Assembly, 4-Pack	4.66	Dallas, TX	LightQuick XD

All Indoor Accessories: Indoor Accessories

784231036822	HC3P L7-15P U	Hook, 3' Cord and NEMA Twist-Lock Plug, 277V, Unit-Pack	.80	Dallas, TX	LightQuick XD
784231037294	HKM J12	Male Hook, 12-Pack	.30	Dallas, TX	LightQuick XD
784231037287	HKM J4	Male Hook, 4-Pack	.30	Dallas, TX	LightQuick XD
784231037270	HKM U	Male Hook, Unit-Pack	.30	Dallas, TX	LightQuick XD
784231041420	STC-4 U	Pole Top Cap, Square Straight Steel, 4 Inch	.30	Dallas, TX	LightQuick XD
784231108253	SBC4 DDB U	Base Cover, Polycarbonate, For 4 Inch Square Straight Steel Pole	1.35	Dallas, TX	LightQuick XD



UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



KAD: General Purpose Cutoff Area Lighting - Contour Series

784231146033	KAD 400M R3 TB SPD09 LPI	400W Metal Halide, Multi-Tap Ballast, Die-Cast Housing, IES Type III Distribution with 9" Arm for Square Pole Mounting, Lamp Included in Carton	39.40	Dallas, TX	LightQuick XD
784231154236	KAD 400M R4 TB SPD09 LPI	400W Metal Halide, Multi-Tap Ballast, Die-Cast Housing, IES Type IV Distribution with 9" Arm for Square Pole Mounting, Lamp Included in Carton	37.60	Dallas, TX	LightQuick XD
784231156360	KAD 250M R4 TB SPD04 LPI	250W Metal Halide, Multi-Tap Ballast, Die-Cast Housing, IES Type IV Distribution with 4" Arm for Square Pole Mounting, Lamp Included in Carton	33.15	Dallas, TX	LightQuick XD
784231107478	KAD 400M R4 TB SPD04 LPI	400W Metal Halide, Multi-Tap Ballast, Die-Cast Housing, IES Type IV Distribution with 4" Arm for Square Pole Mounting, Lamp Included in Carton	35.60	Dallas, TX	LightQuick XD
784231107362	KAD 250M R3 TB SPD04 LPI	250W Metal Halide, Multi-Tap Ballast, Die-Cast Housing, IES Type III Distribution with 4" Arm for Square Pole Mounting, Lamp Included in Carton	33.15	Dallas, TX	LightQuick XD
784231107386	KAD 400M R3 TB SPD04 LPI	400W Metal Halide, Multi-Tap Ballast, Die-Cast Housing, IES Type III Distribution with 4" Arm for Square Pole Mounting, Lamp Included in Carton	35.90	Dallas, TX	LightQuick XD



TFA: Large Floodlight - Contour Series

784231151532	TFA 1000M TA TB LPI	1000W Metal Halide, Mogul Base with Horizontal Socket Position with Mult-Tap Ballast,	60.95	Dallas, TX	LightQuick
		Large Floodlight Lamp Included in Carton			ΧD



TFL: Medium Floodlight - Contour Series

784231035139	TFL 400M RA2 TB LPI	400W Metal Halide, Mogul Base with Horizontal Socket Position, Medium Floodlight with	29.15 Dallas,	TX LightQuick	
		Multi-Tan Rallast I amn Included in Carton		ΧD	



TFR: Medium Floodlight - Contour Series

784231112151	TFR 400M TA TB LPI	400W Metal Halide, Mogul Base with Horizontal Socket Position, Medium Floodlight with	31.75 Dallas, TX	LightQuick
		Multi-Tap Ballast, Lamp Included in Carton		XD



TFM: Mini Floodlight - Contour Series

784231102664	TFM 175M RB TB LPI	175W Metal Halide, Medium Base with Horizontal Socket Position, Small Floodlight with	14.05 Da	allas, TX	LightQuick	
		Multi-Tap Ballast Lamp Included in Carton			ַ אַר	

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



F-CS: Contractor Select Floodlights



745973505533	F500QLD 120 M12	Contractor Select - 500W Quartz Floodlight, 120V, Hinged Lensframe, Dark Bronze Finish, Lamp Included	2.00	Dallas, TX	LightQuick XD
745973505489	F70ML 120 M6	Contractor Select - 70W Micro Floodlight, 120V, Dark Bronze Finish, Lamp Included	7.00	Dallas, TX	LightQuick XD
745973505380	F150SL 120 M6	Contractor Select - 150W Micro Floodlight, 120V, Dark Bronze Finish, Lamp Included	7.05	Dallas, TX	LightQuick XD



TWH: Die-Cast Wall Packs, Glass Refractor

784231067437	TWH 250M TB LPI	250W Metal Halide, Glass Lens, Large Wall-Pack, Multi-Tap Ballast, Lamp Included in Carton	31.70	Dallas, TX	LightQuick XD
784231061954	TWH 400M TB LPI	400W Metal Halide, Glass Lens, Large Wall-Pack, Multi-Tap Ballast, Lamp Included in Carton	33.35	Dallas, TX	LightQuick XD



TWR: Die-Cast Wall Paks, Glass Refractor

784231137024	TWR1 175M TB LPI	175W Metal Hailde Cast and Glass Rectangular Wall-Pack, Multi-Tap Ballast, Lamp Included in Carton	16.45	Dallas, TX	LightQuick XD
784231137055	TWR2 400M TB LPI	400W Metal Halide Cast and Glass Rectangular Wall-Pack, Multi-Tap Ballast, Lamp Included in Carton	30.00	Dallas, TX	LightQuick XD



TWP: Cast Wall Packs, Polycarbonate Refractor

784231035177 T	WP 175M TB LPI	175W Metal Halide, Polycarbonate Medium Wall-Pack, Multi-Tap Ballast, Lamp Included	19.65	Dallas, TX	LightQuick	
		in Carton	.0.00	24.140, 171	XD	



TWAC: Cutoff Mini Wall Packs, Polycarbonate Refractor - Contour Series

784231139356	TWAC 100M TB LPI	100W Metal Halide, Medium Base, Polycarbonate Cutoff Mini Wall-Pack, Multi-Tap	12.65 Dallas, TX	LightQuick
		Ballast, Lamp Included in Carton		XD

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



TWA: Mini Wall Packs, Polycarbonate Refractor - Contour Series

784231115022	TWA 100M TB LPI 10	00W Metal Halide, Medium Base, Polycarbonate Mini Wall-Pack, Multi-Tap Ballast,	12.70	Dallas, TX	LightQuick
	La	amp Included in Carton			XD



SSS: Square Straight Steel Pole

784231041673	SSS 16 4C DM28 PL DDB SHAFT	16' Square Straight Steel Pole, 4" Base, Drill Mount For 2 Fixtures At 180 , Plug For 1 Fixture Mounting, .125" Wall Thickness	115.00	Dallas, TX	LightQuick XD
784231041635	SSS 20 4C DM28 PL DDB SHAFT	20' Square Straight Steel Pole, 4" Base, Drill Mount For 2 Fixtures At 180 , Plug For 1 Fixture Mounting, .125" Wall Thickness	140.00	Dallas, TX	LightQuick XD
784231041697	SSS 25 4C DM28 PL DDB SHAFT	25' Square Straight Steel Pole, 4" Base, Drill Mount For 2 Fixtures At 180 , Plug For 1 Fixture Mounting, .125" Wall Thickness	175.00	Dallas, TX	LightQuick XD



MSK-CS: Contractor Select Motion Sensor Flood Kits

745973506011	MSE180 M6	Contractor Select - 180° Sensor Flood Kit, (2) PAR Holders with Lamp Shields, Dark 14.30 Dallas, Ta	(LightQuick
		Bronze Finish, 2x150W max PAR38 Lamps not Included	XD

All Outdoor Accessories: Outdoor Accessories

784231036990	FTS U	Tenon Slipfitter Adaptor for Yoke Mounted Floodlights, Unit-Pack	2.70	Dallas, TX	LightQuick XD
784231041208	ABSSS-4C	Anchor Bolts and Template For Use with SSS 4C Poles	24.75	Dallas, TX	LightQuick XD
784231030622	KADR4HS U	KAD House side shield, IES Type IV Distribution, Unit-pack	.65	Dallas, TX	LightQuick XD
784231108529	KADR3HS U	KAD House side shield, IES Type III Distribution, Unit-pack	.70	Dallas, TX	LightQuick XD

Reloc Wiring Systems

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



QC: Quick-Flex Converters

784231094228	QC120 12/3G M10	Converter, 120V, 3 Conductors, Plus Ground	.40	Dallas, TX	LightQuick XD
784231094174	QC277 12/3G M10	Converter, 277V, 3 Conductors, Plus Ground	.40	Dallas, TX	LightQuick XD



QFC: Quick-Flex Fixture Cables

784231095102	QFC120 12/2G11 M10	Fixture Cable, 120V, 2 Conductors, Plus Ground, 11 Feet	2.57	Dallas, TX	LightQuick XD
784231095126	QFC120 12/2G15 M5	Fixture Cable, 120V, 2 Conductors, Plus Ground, 15 Feet	3.31	Dallas, TX	LightQuick XD
784231095164	QFC120 12/3G11 M10	Fixture Cable, 120V, 3 Conductors, Plus Ground, 11 Feet	3.13	Dallas, TX	LightQuick XD
784231095188	QFC120 12/3G15 M5	Fixture Cable, 120V, 3 Conductors, Plus Ground, 15 Feet	4.08	Dallas, TX	LightQuick XD
784231095218	QFC277 12/2G11 M10	Fixture Cable, 277V, 2 Conductors, Plus Ground, 11 Feet	2.57	Dallas, TX	LightQuick XD
784231095232	QFC277 12/2G15 M5	Fixture Cable, 277V, 2 Conductors, Plus Ground, 15 Feet	12.80	Dallas, TX	LightQuick XD
784231095065	QFC277 12/3G11 M10	Fixture Cable, 277V, 3 Conductors, Plus Ground, 11 Feet	2.40	Dallas, TX	LightQuick XD
784231095287	QFC277 12/3G15 M5	Fixture Cable, 277V, 3 Conductors, Plus Ground, 15 Feet	20.70	Dallas, TX	LightQuick XD



QE: Quick-Flex Extenders

784231094457	QE120 12/3G15 M5	Extender, 120V, 3 Conductors, Plus Ground, 15 Feet	4.08	Dallas, TX	LightQuick XD
784231094556	QE277 12/3G15 M5	Extender, 277V, 3 Conductors, Plus Ground, 15 Feet	14.70	Dallas, TX	LightQuick XD



QS: Quick-Flex Splitters

784231102992	QS120 12/3G M10	Splitter, 120V, 3 Conductors, Plus Ground	.48 Dallas, TX LightQuick XD
784231103005	QS277 12/3G M10	Splitter, 277V, 3 Conductors, Plus Ground	.65 Dallas, TX LightQuick XD

Page

Printed 06/11/2008

Gotham Architectural Lighting

Downlighting

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



AF Series: Horizontal Compact Fluorescent Open Downlights

N/A	AF 1/32TRT 6AR MVOLT	6" Open 1-Lamp Triple-Tube Downlight. Consists of GRSF 1/32-42TRT 6 MVOLT HSG and a clear AF 1 6AR TRT TRIM. Depending upon quantity ordered, elements may ship	Dallas, TX	LightQuick XD
		in units or job packs.		



A Series: Vertical Incandescent Open Downlights

N/A	A 6AR	6" Open Downlight. Consists of GRS 6 HSG and a clear A 6AR TRIM. Depending upon quantity ordered, elements may ship in units or job packs.	Dallas, TX	LightQuick XD
N/A	A 6AR TRW	6" Open Downlight. Consists of GRS 6 HSG and a clear A 6AR TRW TRIM. Depending	Dallas, TX	LightQuick
		upon quantity ordered, elements may ship in units or job packs.		XD



AFV Series: Vertical Compact Fluorescent Open Downlights

N/A	AFV 42TRT 8AR MVOLT	8" Open 1-Lamp Triple-Tube Downlight. Consists of AFV 32-42TRT 8 MVOLT HSG and a	Dallas, TX	LightQuick
		clear AFV 8AR TRT TRIM. Depending upon quantity ordered, elements may ship in units	· ·	XD
		or job packs.		



AF Series: Horizontal Compact Fluorescent Open Downlights

N/A	AF 2/32TRT 8AR MVOLT	8" Open 2-Lamp Triple-Tube Downlight. Consists of GRSF 2/26-42TRT 8 MVOLT HSG and a clear AF 2 8AR TRT TRIM. Depending upon quantity ordered, elements may ship	Dallas, TX	LightQuick XD	
		in units or job packs			



AFV: Vertical Compact Fluorescent Open Downlight Housings

784231168660	AFV 32-42TRT 6 MVOLT HSG	Galvanized Steel Mounting Frame with Electronic Multi-Volt Ballast, For Use with AFV 6 TRT Trims and 32W Lamp	6.80	Dallas, TX	LightQuick XD
784231168677	AFV 32-42TRT 8 MVOLT HSG	Galvanized Steel Mounting Frame with Electronic Multi-Volt Ballast, For Use with AFV 8 TRT Trims and 32W Lamp	6.75	Dallas, TX	LightQuick XD

UPC Code	Product	Description	Wt (lbs)	Inv Location	Product	Local
					Type	Dist.
						Stock



A-AW: Vertical Incandescent Downlight Reflectors

784231125113	A 6AR TRIM J4	Semi-Specular Clear Open Reflector, For Use with GRS 6 Housing, 4-Pack	3.15	Dallas, TX	LightQuick XD
784231125106	A 6AR TRIM U	Semi-Specular Clear Open Reflector, For Use with GRS 6 Housing, Unit-Pack	1.10	Dallas, TX	LightQuick XD



GRS Housing: Vertical Incandescent Open Downlight and Wallwash Housings

784231050835 GRS 6 HSG J2 Galvanized Steel Mounting Frame, For Use with A 6 Trims, 2-Pack 12.45 Dallas, TX LightQuick XD



AF-AFV: Horizontal and Vertical Compact Fluorescent Downlight Reflectors

784231150511	AF 1 6AR TRT TRIM U	Semi-Specular Clear Open Reflector, For Use with GRSF 6 1-Lamp TRT Housing, Unit-Pack	.95	Dallas, TX	LightQuick XD
784231150481	AF 2 8AR TRT TRIM U	Semi-Specular Clear Open Reflector, For Use with GRSF 8 2-Lamp TRT Housing, Unit-Pack	1.30	Dallas, TX	LightQuick XD



GRSF Housing: Horizontal Compact Fluorescent Open Downlight Housings

745973589052	GRSF 1/26-42TRT 6 MVOLT HSG U	Galvanized Steel Mounting Frame with Multi-Volt Ballast, For Use with AF 6 TRT Trims and 26W, 32W or 42W Lamp	8.40	Dallas, TX	LightQuick XD
784231150542	GRSF 2/26-42TRT 8 MVOLT HSG U	Galvanized Steel Mounting/Plaster Frame with Multi-Volt Ballast, For Use with AF 2 8 TRT Trims and 26W, 32W or 42W Lamp	9.00	Dallas, TX	LightQuick XD





©2005 Acuity Lighting Group, Inc. DM6265