



## FEATURES & SPECIFICATIONS

### INTENDED USE

For square straight steel poles only.

### CONSTRUCTION

Steel: Body is constructed from A500 Grade B steel. Welding follows industry standards best practices.

Must specify finish. Optional polyester powder and red primer paint finishes available.


### INSTALLATION

Mounting hardware is included.

Catalog Number	
Notes	Type

Bolt-On Tenon

# SBT



STEEL (SBT) BOLT-ON TENON  
FOR SQUARE STRAIGHT STEEL POLES

(See next page for dimensions and drawings.)

## ORDERING INFORMATION

Lead times will vary depending on options selected. Consult with your sales representative.


Example: SBT-5S T25 DDB

SBT —							
Series	Pole size	Modified <sup>1</sup>		Tenon size		Finish <sup>2</sup>	
SBT	4S 5S 6S	(blank) MOD	Standard Slotted <sup>1</sup>	(blank) T25 T30 T35	2-3/8" O.D. (2" NPS) 2-7/8" O.D. (2-1/2" NPS) 3-1/2 O.D. (3" NPS) 4" O.D. (3-1/2" NPS)	<u>Standard colors</u> DDB Dark bronze DWH White DBL Black DNA Natural aluminum GALV Galvanized steel <u>Primer finish</u> DPRM Red primer <u>Architectural colors</u> (powder finish) <sup>2</sup>	

### NOTES:

- Modified with two slots at 180 degrees to allow clearance of fixture arm backup plate in DM19 and DM28 applications.
- Finish must be specified. Additional colors available; see [www.lithonia.com/archcolors](http://www.lithonia.com/archcolors) or the Architectural Colors brochure (Form No. 794.3).

# SBT Bolt-On Tenon; Square Straight Steel Poles



SBT (Bolt-On Tenon)				
Lithonia Lighting Catalog Number	Dimensions (in.)			Bracket weight (lbs.)
	A	B	C	
SBT-4S	3	4-1/2	2-3/8	7
SBT-4S T25	3	4-1/2	2-7/8	6
SBT-4S T30	3	4-1/2	3-1/2	9
SBT-4S T35	3	4-1/2	4	10
SBT-5S	4	5-1/2	2-3/8	9
SBT-5S T25	4	5-1/2	2-7/8	8
SBT-5S T30	4	5-1/2	3-1/2	11
SBT-5S T35	4	5-1/2	4	12
SBT-6S	5	6-1/2	2-3/8	14
SBT-6S T25	5	6-1/2	2-7/8	13
SBT-6S T30	5	6-1/2	3-1/2	16
SBT-6S T35	5	6-1/2	4	17

## IMPORTANT:

- These specifications are intended for general purposes only. Lithonia Lighting reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

## CAUTION:

- The arms described herein are designed for applications in areas of normal winds. Consult the factory prior to the design of systems to be mounted on structures such as bridges or buildings, or areas known to have abnormal winds such as airports or coastal areas. Failure to consider these factors in the system design could result in the failure of the pole or mast arm, and consequently personal injury or property damage.