Technical Specifications

80 CRI



Project:	Туре:
Prepared By:	Date:

Performance L70 Lifespan: Construction 15,000-Hour LED lifespan based on IES LM-70 results **Product Type: Bulb Shape:** Dimmable: A-Line A19 Yes Input Wattage: Base Type: 13.5W Compliance E26 Lumens (Nominal): **UL Listed:** Beam Angle: 230° 1100lm Suitable for damp locations Efficacy: **Electrical Enclosed Fixtures:** 81 lm/W Suitable for use in enclosed fixtures **Power Factor:** Color Accuracy (CRI): **LED Characteristics** 0.7

Color Temperature:

2700K

Technical Specifications (continued)

Electrical

Operating Temperature:

-20°C - 45°C

Input Voltage:

120V

Operating Frequency:

60 Hz

Other

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Wattage Equivalency:


75W Incandescent


Case and Pallet Dimensions

Light Distribution

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	5.2	5.5	15.4
PALLET	2304	41.34	40.94	45.47

Dimension





120

150

Features

Energy efficient replacement for incandescent and halogen lamps

Constructed from durable plastic which lowers risk of breakage

Rated for use in enclosed and open fixtures in dry or damp locations (>15W A19 is Open fixture rated)

Frosted lens produces smooth diffuse light

Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs

ENERGY STAR Compliant

Dimmable with common dimmer types (check compatibility list)

C0/180,237.3 C90/270,237.4

Family	Wattage	Base Type	CRI/Color Temp	Dimmable
A19 –	13 –	E26 -	- 827	- DIM
	5 = 5W 9 = 9W 10 = 10W 13 = 13W 15 = 15W 16 = 16W 23 = 23W	E26 = E26 Base GU24 = GU24 Base	850 = 80 CRI, 5000K 840 = 80 CRI, 4000K 835 = 80 CRI, 3500K 830 = 80 CRI, 3000K 827 = 80 CRI, 2700K	DIM = Dimmable DIM 120V = Dimmable