

On-Off • 3-Way



On-Off Metal Rotary Switch, Metal Bushing, Single Circuit. Rated: 6A-125V, 3A-250V




80-1132 Brass Finish

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1132	Brass	On-Off	3/8"	6"	3/4"	250
80-1133	Nickel	On-Off	3/8"	6"	3/4"	250
80-1134	Brass	On-Off	5/8"	6"	3/4"	250
80-1135	Nickel	On-Off	5/8"	6"	3/4"	250
80-1363	Brass	On-Off	1 1/8"	6"	3/4"	250
80-1364	Nickel	On-Off	1 1/8"	6"	3/4"	250
80-1413	Brass	On-Off	1 1/2"	6"	3/4"	250
80-1414	Nickel	On-Off	1 1/2"	6"	3/4"	250


SWITCHES & ACCESSORIES

3-Way Metal Rotary Switch, Metal Bushing, 2 Circuit, 4 Position(L-1, L-2, L1-2, Off). Rated: 6A-125V, 3A-250V



80-1136 Brass Finish


Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1136	Brass	3-Way	3/8"	6"	3/4"	250
80-1137	Nickel	3-Way	3/8"	6"	3/4"	250
80-1138	Brass	3-Way	5/8"	6"	3/4"	250
80-1139	Nickel	3-Way	5/8"	6"	3/4"	250
80-1365	Brass	3-Way	1 1/8"	6"	3/4"	250
80-1366	Nickel	3-Way	1 1/8"	6"	3/4"	250
80-1415	Brass	3-Way	1 1/2"	6"	3/4"	250
80-1416	Nickel	3-Way	1 1/2"	6"	3/4"	250



80-1360 Nickel Finish

On-Off Lighted Rotary Switch, Plastic Bushing, Single Circuit. Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1359	Brass	On-Off	3/8"	6"	3/4"	250
80-1360	Nickel	On-Off	3/8"	6"	3/4"	250



80-1361 Brass Finish

3-Way Lighted Rotary Switch, Plastic Bushing, 2 Circuit, 4 Position(L-1, L-2, L1-2, Off). Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1361	Brass	3-Way	3/8"	6"	3/4"	250
80-1362	Nickel	3-Way	3/8"	6"	3/4"	250



On-Off Metal Push Switch, Metal Bushing, Single Circuit. Rated: 6A-125V, 3A-250V


Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1124	Brass	On-Off	3/8"	6"	3/4"	250
80-1125	Nickel	On-Off	3/8"	6"	3/4"	250
80-1126	Brass	On-Off	5/8"	6"	3/4"	250
80-1127	Nickel	On-Off	5/8"	6"	3/4"	250
80-1367	Brass	On-Off	1 1/8"	6"	3/4"	250
80-1368	Nickel	On-Off	1 1/8"	6"	3/4"	250
80-1409	Brass	On-Off	1 1/2"	6"	3/4"	250
80-1410	Nickel	On-Off	1 1/2"	6"	3/4"	250



80-1124 Brass Finish

3-Way Metal Push Switch, Metal Bushing, 2 Circuit, 4 Position(L-1, L-2, L1-2, Off). Rated: 6A-125V, 3A-250V


Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1128	Brass	3-Way	3/8"	6"	3/4"	250
80-1129	Nickel	3-Way	3/8"	6"	3/4"	250
80-1130	Brass	3-Way	5/8"	6"	3/4"	250
80-1131	Nickel	3-Way	5/8"	6"	3/4"	250
80-1369	Brass	3-Way	1 1/8"	6"	3/4"	250
80-1370	Nickel	3-Way	1 1/8"	6"	3/4"	250
80-1411	Brass	3-Way	1 1/2"	6"	3/4"	250
80-1412	Nickel	3-Way	1 1/2"	6"	3/4"	250



80-1128 Brass Finish

On-Off Lighted Push Switch, Plastic Bushing, Single Circuit. Rated: 6A-125V, 3A-250V


Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1355	Brass	On-Off	3/8"	6"	3/4"	250
80-1356	Nickel	On-Off	3/8"	6"	3/4"	250



80-1356 Nickel Finish

3-Way Lighted Push Switch, Plastic Bushing, 2 Circuit, 4 Position(L-1, L-2, L1-2, Off). Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1357	Brass	3-Way	3/8"	6"	3/4"	250
80-1358	Nickel	3-Way	3/8"	6"	3/4"	250



80-1357 Brass Finish


Canopy & Ceiling Fan



90-704 Brass Finish

On-Off Canopy Switch, Single Circuit w/Metal Chain, White Cord & Bell - Rated: 6A-125V, 3A-250V


Item No.	Finish	Function	Bushing	Leads	Strip	Packed
90-704	Brass	On-Off	3/8"	6"	3/4"	250
90-505	Nickel	On-Off	3/8"	6"	3/4"	250



90-2260 Brass Finish

3 Way Canopy Switch, 2 Circuit, 4 Position w/Metal Chain, White Cord & Bell - Rated: 6A-125V, 3A-250V


Item No.	Finish	Function	Bushing	Leads	Strip	Packed
90-2260	Brass	4 Position	3/8"	6"	3/4"	250
90-2261	Nickel	4 Position	3/8"	6"	3/4"	250



90-689 Nickel Finish

3 Way Ceiling Fan Switch, 2 Circuit w/Metal Chain, White Cord & Bell - Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
90-689	Nickel	3 Way	3/8"	6"	3/4"	250



90-690 Nickel Finish

2 Speed Ceiling Fan Switch, 4 Position w/Metal Chain, White Cord & Bell - Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
90-690	Nickel	2 Speed	3/8"	6"	3/4"	250



On-Off • Hi-Low

On-Off Phenolic Rotary Switch, Single Circuit
 Rated: 1A-125V, 3A-125V, 1.5A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
90-502	Black	On-Off	3/8"	6"	3/4"	250
90-703	White	On-Off	3/8"	6"	3/4"	250
80-1770	Black	On-Off	Snap	6"	3/4"	250
80-1771	White	On-Off	Snap	6"	3/4"	250



90-502 Black

Hi-Low Metal Rotary Switch w/Diode, 2 Circuit
 Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1140	Brass	On-Off	3/8"	6"	3/4"	250



80-1140 Brass Finish

On-Off Metal Toggle Switch, Single Circuit
 Rated: 6A-125V, 3A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
90-1106	Nickel	On-Off	3/8"	6"	3/4"	250
80-1767	Brass	On-Off	3/8"	6"	3/4"	250



90-1106 Nickel Finish

Slide • Step On

SWITCHES & ACCESSORIES



90-1069 White

Slide – Floor Lamp Dimmer
Rated: 500W-120V 4.3A




Item No.	Finish	Length	Wire	Receptacle	Packed
90-1069	White	7 ft.	SPT-2 White	Yes	50/1
90-1070	Black	7 ft.	SPT-2 Black	Yes	50/1



80-1244 Black

Slide – 2-Wire Floor Lamp Dimmer
Rated: 500W-120V

Item No.	Finish	Length	Wire	Receptacle	Packed
80-1244	Black	8 ft. x 8 ft.	SPT-2 Black	No	50/1



93-5012 Black

Slide – Table Top Lamp Dimmer
Rated: 300W-120V



Item No.	Finish	Length	Wire	Receptacle	Packed
93-5011	White	8 ft.	SPT-2 White	Yes	24
93-5012	Black	8 ft.	SPT-2 Black	Yes	24



93-5016 Brown

Slide – Lamp Cord Table Dimmer – No Wire
Rated: 300W-120V for SPT-2 Wire Only



Item No.	Finish	Connectors	Receptacle	Packed
93-5014	White	Quick Terminals	No	24/1
93-5016	Brown	Quick Terminals	No	24/1



80-1163 Black

Step-on-Button On/Off Push Switch
Rated: 2A-125V, 1A-125V, 1A-250V,



Item No.	Finish	Length	Wire	Receptacle	Packed
80-1163	Black	(Terminal)	No	No	250/1
80-1466	White	(Terminal)	No	No	250/1
80-1229	Black	8 ft. x 7 ft.	SPT-2 Black	No	50/1
80-1381	Black	8 ft. x 11 ft.	SPT-2 Black	No	50/1

Full Range Dimmer Switches



80-1166

*Full Range Table Lamp Dimmer Switch
Phenolic Housing
Black 300W Dimmer
12" AWM 105°C Black Leads Strip 1/2"
w/Two Knobs: Black & Brass
300W-120V*



80-1293

*Full Range Table Lamp Dimmer Switch
Paper Housing
300W Dimmer
12" AWM 105°C Black Leads Strip 1/2"
w/Two Knobs: Black & Brass
60-300W-120V*



80-1241

*Full Range Table Lamp Dimmer Switch
Phenolic Housing
Black 300W Dimmer
12" AWM 105°C Black Leads Strip 1/2"
w/One Knob: Black
300W-120V*




90-1082

*Full Range Pole Lamp Dimmer Switch
Paper Housing
500W Pole or Post Lamp Dimmer
w/One End 2 Foot Leads SPT-1 Black
Other End 7" SPT-1, Strip 1/2"
w/One Brass Knob
500W-120V*



80-1481 Brown
80-1482 Ivory

*Full Range Lamp Cord
Rotary Dimmer Switch
Phenolic - 200W-120V*



80-1167

*Full Range Socket Dimmer
Medium Base
Candle Socket w/Paper Liner
150W Full Range
w/Removable Black Knob
1/8 IP Bushing w/Set Screw
5/8" AWM B/W150°C Leads Strip 1/2"
150W-120V*

Plastic Dimmer Knobs



90-798

Brass Finish Knob



90-799

Chrome Finish Knob



90-2315

Black Knob

SPT-1



**Attachment Plug
Polarized 18/2-SPT-1**

90-393 Ivory
90-394 Brown

SPT-1



**Quick Connect Plug
Non Polarized 18/2-SPT-1**

90-631 White
90-632 Brown

SPT-1



**Quick Connect Plug
Polarized 18/2-SPT-1**

90-1520 White
90-1521 Brown
90-1522 Black


SPT-1



**Slide Plug-Polarized
18/2-SPT-1 8A-125V**

90-715 Brown 90-2041 Gold
90-716 Ivory 90-2245 Silver
90-719 Black

SPT-1



**Female Slide Plug
Polarized 18/2-SPT-1**

90-793 Brown
90-794 Ivory


SPT-2



**Slide Plug-Polarized
18/2-SPT-2 8A-125V**

90-695 Brown 90-2040 Gold
90-696 Ivory 90-2244 Silver
90-697 Black


SPT-2



**Quick Connect Flat Plug
Non Polarized
18/2-SPT-2**

90-1083 White
90-1084 Brown

SVT



**Attachment Plug
with Terminal Screws
18/2-SVT Round Wire**

90-1114 Brown
90-1115 White
90-1116 Black

SVT



**3 Prong Rubber Plug
with Metal Grip
18/3-SVT Round Wire**

80-1688 Black

SPT-1



**On-Off Cord Switch
for 18/2 SPT-1**
6A-125V 3A-250V 3A-125V

- 90-500 White 90-2424 Gold
- 90-506 Brown 90-2425 Silver
- 90-814 Black

SPT-2



**On-Off Cord Switch
for 18/2 SPT-2**
6A-125V 3A-250V 3A-125V

- 90-573 White 90-2426 Gold
- 90-574 Brown 90-2427 Silver
- 90-825 Black

SPT-1



**200 Watt Hi-Low Dimmer
for 18/2 SPT-1**
200W-120V

- 90-436 White
- 90-435 Brown

SPT-2



**200 Watt Hi-Low Dimmer
for 18/2 SPT-2**
200W-120V

- 90-820 White
- 90-821 Brown

SPT-1 / SPT-2 / SVT



**Heavy Duty Rocker Switch
for 18/2 SPT-1 & SPT-2, 16/2 SPT-2 &
18/2 SVT 3A-125V 1/2HP-125V**

- 90-434 Ivory
- 90-433 Brown

SPT-2



**Feed Thru Rocker Switch
for 18/2 SPT-2 3A-120V**

- 90-2368 Black 90-2371 Silver
- 90-2369 White 90-2372 Gold
- 90-2370 Brown

Snap-In On-Off • Hi-Low



80-1141 Black



80-1819 Black Lighted



80-1820 White Lighted

On-Off Phenolic Rocker Switch, w/Dot
Rated: 15A-125V, 10A-250V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1141	Black	On-Off	Snap	6"	3/4"	250
80-1617	White	On-Off	Snap	6"	3/4"	250
80-1819	Black	Lighted On-Off	Snap	9"	3/4"	250
80-1820	White	Lighted On-Off	Snap	9"	3/4"	250



80-1371 Black



Hi-Low Metal Round Rocker Switch w/Diode
2 Circuit, Rated: 6A-250V, 10A-125V, 3A-125V

Item No.	Finish	Function	Bushing	Leads	Strip	Packed
80-1371	Black	Hi-Off-Low	Snap-In	6"	3/4"	250



80-1142 Black

3 Wire, 2 Pole Snap-In Convenience Outlet,
Opening Size: 1" x 1" x 1" Rated: 15A-125V

Item No.	Finish	Wire	Bushing	Leads	Strip	Packed
80-1142	Black	3 Wire	Snap-In	6"	3/4"	250
80-1408	White	3 Wire	Snap-In	6"	3/4"	250



90-545 Black

2 Wire Snap-In Convenience Outlet,
Opening Size: 1 1/8" x 1/2" x 7/8" Rated: 15A-125V

Item No.	Finish	Wire	Bushing	Leads	Strip	Packed
90-545	Black	2 Wire	Snap-In	6"	3/4"	250

Touch Switches 




90-2428 Low-Med-Hi-Off Touch Switch
Plastic Outer Shell. Rated: 150W-120V



90-2429 On-Off Touch Switch
Plastic Outer Shell. Rated: 150W-120V


Photoelectric Switches 



90-2430 Photoelectric Switch
Plastic DOS Shell Rated: 25W-125V
Indoor Use Only



90-2431 Photoelectric Switch
Plastic DOS Shell Rated: 100W-120V
Indoor Use Only



90-2432 Photoelectric Switch
Plastic DOS Shell Rated: 250W-120V



80-1733 Photoelectric Switch
Plastic DOS Shell Rated: 500W-120V
For Outdoor Use