




Friendly Service ... Powerful Solutions

Topaz Specification Sheet

Description: EMT 45° Elbow

Standard Material: Galvanized Steel

Features: 1/2 -4" EMT Elbows meet UL797 and ANSI C80.3
Federal Specification WW-C-563



TOPAZ CAT #	A	B
21	4.000	2.875
22	4.500	2.875
23	5.750	3.00
24	7.250	3.25
25	8.250	3.625
26	9.500	4.1875
27	10.500	5.25
28	13.000	5.8125
29	15.000	6.75
30	16.000	6.9375

A=MIN. UL RADIUS
B=STRAIGHT LEG EACH END

TOPAZ CAT #	UPC#	SIZE	UNIT CTN	SHIP CASE	WT/ CASE
21	33400	1/2"	-	50	11
22	33410	3/4"	-	50	19
23	33420	1"	-	35	25
24	33430	1 1/4"	-	30	30
25	33440	1 1/2"	-	30	44
26	33450	2"	-	15	31
27	33460	2 1/2"	-	1	5
28	33470	3"	-	1	7
29	33480	3 1/2"	-	1	9
30	33490	4"	-	1	12

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488




Topaz Specification Sheet

Description: EMT 90° Elbows

Standard Material: Galvanized Steel

Features: 1/2"-4" EMT Elbows meet UL797 and ANSI C80.3
Federal Specification WW-C-563



TOPAZ CAT #	A	B	C
81	4.000	2.875	6.343
82	4.500	2.875	6.781
83	5.750	3.000	8.901
84	7.250	3.250	10.250
85	8.250	3.625	11.937
86	9.500	4.1875	14.031
87	10.500	5.250	16.000
88	13.000	5.8125	18.947
89	15.000	6.750	22.218
89A	16.000	6.9375	23.437

A = MIN. UL RADIUS
B = STRAIGHT
C = OFFSET

TOPAZ CAT #	UPC#	SIZE	UNIT CTN	SHIP CASE	WT/ CASE
81	30420	1/2"	—	50	14
82	30430	3/4"	—	50	23
83	30440	1"	—	20	16
84	30450	1 1/4"	—	20	30
85	30460	1 1/2"	—	10	20
86	30470	2"	—	10	30
87	30480	2 1/2"	—	1	6
88	30490	3"	—	1	9
89	30500	3 1/2"	—	1	11
89A	30510	4"	—	1	15

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488




Topaz Specification Sheet

Description: EMT 15° Elbow

Standard Material: Galvanized Steel

Features: 1 ¼ -4" EMT Elbows meet UL797 and ANSI C80.3
Federal Specification WW-C-563



TOPAZ CAT #	A	B
8415	7.25	2.781
8515	8.25	2.781
8615	9.5	2.781
8715	10.5	3
8815	13	3.125
8915	15	3.281
89A15	16	3.375

A=MIN. UL RADIUS
B=STRAIGHT LEG EACH END

TOPAZ CAT #	UPC#	SIZE	UNIT CTN	SHIP CASE	WT/ CASE
8415	83896	1 1/4"	—	30	16
8515	83897	1 1/2"	—	15	22
8615	83898	2"	—	10	16
8715	83899	2 1/2"	—	1	3
8815	83815	3"	—	1	4
8915	83901	3 1/2"	—	1	6
89A15	83902	4"	—	1	7

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488




Topaz Specification Sheet

Description: EMT 22° Elbow

Standard Material: Galvanized Steel

Features: 1 ¼ -4" EMT Elbows meet UL797 and ANSI C80.3
Federal Specification WW-C-563



TOPAZ CAT #	A	B
8422	7.25	2.781
8522	8.25	2.781
8622	9.5	2.781
8722	10.5	3
8822	13	3.125
8922	15	3.281
89A22	16	3.375

A=MIN. UL RADIUS
B=STRAIGHT LEG EACH END

TOPAZ CAT #	UPC#	SIZE	UNIT CTN	SHIP CASE	WT/ CASE
8422	83889	1 1/4"	—	30	17
8522	83890	1 1/2"	—	15	24
8622	83891	2"	—	10	18
8722	83892	2 1/2"	—	1	3
8822	83893	3"	—	1	5
8922	83994	3 1/2"	—	1	6
89A22	83995	4"	—	1	8

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488




Topaz Specification Sheet

Description: EMT 30° Elbow

Standard Material: Galvanized Steel

Features: 1 ¼ -4" EMT Elbows meet UL797 and ANSI C80.3
Federal Specification WW-C-563



TOPAZ CAT #	A	B
8430	7.25	2.781
8530	8.25	2.781
8630	9.50	2.781
8730	10.50	3.000
8830	13.00	3.125
8930	15.00	3.281
89A30	16.00	3.375

A = MIN. UL RADIUS
B = STRAIGHT LEG EACH END

TOPAZ CAT #	UPC#	SIZE	UNIT CTN	SHIP CASE	WT/ CASE
8430	83903	1 1/4"	—	30	19
8530	83893	1 1/2"	—	15	25
8630	83905	2"	—	10	20
8730	83906	2 1/2"	—	1	3
8830	83907	3"	—	1	5
8930	83908	3 1/2"	—	1	7
89A30	83909	4"	—	1	8

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488




Friendly Service ... Powerful Solutions™

Topaz Specification Sheet

Description: EMT Special Radius Elbows

Standard Material: Hot Dipped Galvanized Steel

Features: Available in 2" thru 4"



TOPAZ CAT #	A	B
8624	11	35
8636	11	47
8830SR	11	41
8836	11	47
8848	12	60
8924	11	35
8936	11	47
8948	12	60
89A36	11	47
89A42	12	54
89A48	12	60

A = STRAIGHT
B = OFFSET

TOPAZ CAT #	UPC#	SIZE	DEGREES	RADIUS	SHIP CASE	WT/ CASE
8624	85544	2	90	24	1	7
8636	81734	2	90	36	1	10
8830SR	85466	3	90	30	1	16
8836	30494	3	90	36	1	18
8848	86275	3	90	48	1	22
8924	85367	3-1/2	90	24	1	18
8936	86276	3-1/2	90	36	1	24
8948	86277	3-1/2	90	48	1	30
89A36	86280	4	90	36	1	27
89A42	85296	4	90	42	1	30
89A48	81983	4	90	48	1	33

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488